

CITATIONS: 1994

Lozano, G. A. 1994. Size, condition, and territoriality in male tree swallows (*Tachycineta bicolor*). *Canadian Journal of Zoology* 72: 330-333.

- Canal D, Schlicht L, Santoro S, Camacho C, Martínez-Padilla J, Potti J (2021) Phenology-mediated effects of phenotype on the probability of social polygyny and its fitness consequences in a migratory passerine. *BMC Ecology and Evolution* 21:55.
- Ghimire P, Pandey M, Belbase B, Ghimire R, Khanal C, Bist BS, Bhusal KP (2020) If you go, I'll stay: nest use interaction between Asian Woollyneck *Ciconia episcopus* and Black Kite *Milvus migrans* in Nepal. *Birding Asia* 33:103105.
- Lombardo MP, Thorpe PA, Otieno S, Weglarz D, Hawker A (2020) Factors associated with the mass of eggs laid by Tree Swallows (*Tachycineta bicolor*) varied yearly between 2008-2016 in Michigan. *J. Avian Biol.* n/a
- Marques-Santos F, Wischhoff U, Roper JJ, Rodrigues M (2018) Delayed plumage maturation explains differences in breeding performance of Saffron Finches. *Emu*:1-11.
- López-Jiménez, L., Blas, J., Tanferna, A., Cabezas, S., Marchant, T., Hiraldo, F., and Sergio, F. 2017. Lifetime variation in feather corticosterone levels in a long-lived raptor. *Oecologia* 183:(2) 315-326.
- Wiebe, K.L. 2016. Interspecific competition for nests: Prior ownership trumps resource holding potential for Mountain Bluebird competing with Tree Swallow. *The Auk* 133(3): 512-519.
- Krištofik, J., Darolová, A., Majtan, J., Okuliarová, M., Zeman, M., and Hoi, H. 2014. Do females invest more into eggs when males sing more attractively? Postmating sexual selection strategies in a monogamous reed passerine. *Ecology and Evolution* 4(8):1328-1339.
- Whittingham, L.A., and Dunn, P.O. 2014. Extra-pair mating and sexual selection on male traits across populations. *Wilson Journal of Ornithology* 126(1): 9-18.
- (20) Matyjasiak, P. 2013. Timing of arrival from Spring migration is associated with flight performance in the migratory barn swallow. *Behavioral Ecology and Sociobiology* 67(1): 91-100. doi:10.1007/s00265-012-1429-x.
- Canal, D., Jovani, R., and Potti, J. 2012. Multiple mating opportunities boost protandry in a pied flycatcher population. *Behavioral Ecology and Sociobiology* 66(1): 67-76. doi:10.1007/s00265-011-1253-8.
- Piper, W.H. 2011. Making habitat selection more "familiar": a review *Behavioral Ecology and Sociobiology*. doi:10.1007/s00265-011-1195-1.
- Rosvall, K.A. 2011. Maintenance of variation in sexually selected traits in females: a case study using intrasexual aggression in tree swallows *Tachycineta bicolor*. *Journal of Avian Biology* 42: 1-9.
- Lozano, G.A. 2009. Multiple cues in mate selection: the sexual interference hypothesis. *BioScience Hypotheses* 2: 37-42.
- Sergio, F., Blas, J., and Hiraldo, F. 2009. Predictors of floater status in a long-lived bird: a cross-sectional and longitudinal test of hypotheses. *Journal of Animal Ecology* 78(1): 109-118.
- Durrant, K.L., and Hughes, J.M. 2006. Are there correlates of male Australian Magpie *Gymnorhina tibicen* reproductive success in a population with high rates of extra-group paternity? *Ibis* 148(2): 313-320.
- Kipper, S., Mundry, R., Sommer, C., Hultsch, H., and Todt, D. 2006. Song repertoire size is correlated with body measures and arrival date in common nightingales, *Luscinia megarhynchos*. *Animal Behaviour* 71: 211-217. doi:10.1016/j.anbehav.2005.04.011.

- Kokko, H., Lopez-Sepulcre, A., and Morrell, L.J. 2006. From hawks and doves to self-consistent games of territorial behavior. *American Naturalist* **167**(6): 901-912.
- Mitrus, C., Kleszko, N., and Socko, B. 2006. Habitat characteristics, age, and arrival date of male Red-breasted Flycatchers *Ficedula parva*. *Ethology Ecology & Evolution* **18**(1): 33-41.
- (10) Mesterton-Gibbons, M., and Hardy, I.C.W. 2004. The influence of contests on optimal clutch size: a game-theoretic model. *Proceedings of the Royal Society of London B* **271**(1542): 971-978. doi:10.1098/rspb.2003.2670.
- Rubolini, D., Spina, F., and Saino, N. 2004. Protandry and sexual dimorphism in trans-Saharan migratory birds. *Behavioral Ecology* **15**(4): 592-601. doi:10.1093/beheco/arh048.
- Johnson, L.S., Wimmers, L.E., Campbell, S., and Hamilton, L. 2003. Growth rate, size, and sex ratio of last-laid, last-hatched offspring in the tree swallow *Tachycineta bicolor*. *Journal of Avian Biology* **34**(1): 35-43.
- McCarty, J.P. 2001. Variation in growth of nestling tree swallows across multiple temporal and spatial scales. *Auk* **118**: 176-180.
- Wegglar, M. 2001. Age related reproductive success in dichromatic male Black Redstarts *Phoenicurus ochruros*: why are yearlings handicapped? *Ibis* **143**(2): 264-272.
- MacColl, A.D.C., Piertney, S.B., Moss, R., and Lambin, X. 2000. Spatial arrangement of kin affects recruitment success in young male red grouse. *Oikos* **90**(2): 261-270.
- Peer, K., Robertson, R.J., and Kempnaers, B. 2000. Reproductive anatomy and indices of quality in male tree swallows: the potential reproductive role of floaters. *Auk* **117**(1): 74-81.
- Lozano, G.A., and Lemon, R.E. 1999. Effects of prior residency and age on breeding performance in yellow warblers. *Wilson Bulletin* **111**(3): 381-388.
- Lozano, G.A., Perreault, S., and Lemon, R.E. 1996. Age, arrival date and reproductive success of male American redstarts *Setophaga ruticilla*. *Journal of Avian Biology* **27**: 164-170.
- Reynolds, S.J. 1996. Establishing body-size indicators in a study of female spruce grouse *Dendragapus canadensis*. *Journal of Zoology* **240**: 113-122.
- Lozano, G. A. 1994. Carotenoids, parasites, and sexual selection. *Oikos* 70: 309-311.**
- (459) Paukner A, Slonecker EM, Wooddell LJ (2021) Effects of dominance and female presence on secondary sexual characteristics in male tufted capuchin monkeys (*Sapajus apella*). *Ecol. Evol.* n/a:xxx-xxx.
- Peneaux C, Hansbro PM, Griffin AS (2021) The potential utility of carotenoid-based coloration as biomonitor of environmental change. *Ibis* 163:20-37.
- Powers MJ, Hill GE (2021) A review and assessment of the Shared-Pathway Hypothesis for the maintenance of signal honesty in red ketocarotenoid-based coloration. *Integr. Comp. Biol.* XX:xxx-xxx.
- Renthlei Z, Hmar L, Trivedi KA (2021) High temperature attenuates testicular responses in tree sparrow (*Passer montanus*). *Gen. Comp. Endocrinol.* 301:113654.
- Cantarero, A., R. Mateo, P. Camarero, D. Alonso, B. Fernandez-Eslava, and C. Alonso-Alvarez. 2020. Testing the shared-pathway hypothesis in the carotenoid-based coloration of red crossbills. *Evolution* **74**:2348-2364.
- Costantini D, Dell'Omo DG (2020) *The Kestrel*. Cambridge University Press

- Earley RL, Anderson CT, Moscicki MK, Norton BB, Brown AC, Clotfelter ED (2020) Carotenoid availability and tradeoffs in female convict cichlids, a reverse sexually-dichromatic fish. *Env. Biol. Fish.* 103:1541–1552.
- Fogelholm J, Henriksen R, Höglund A, Huq N, Johnsson M, Lenz R, Jensen P, Wright D (2020) CREBBP and WDR 24 Identified as candidate genes for quantitative variation in red-brown plumage colouration in the chicken. *Scientific Reports* 10:1161.
- García-Campa J, Müller W, González-Braojos S, García-Juárez E, Morales J (2020) Dietary carotenoid supplementation facilitates egg laying in a wild passerine. *Ecol. Evol.* 10: 4968-4978.
- (450)** Hund AK, Hubbard JK, Albrecht T, Vortman Y, Munclinger P, Krausová S, Tomášek O, Safran RJ (2020) Divergent sexual signals reflect costs of local parasites. *Evolution* 74:2404-2418.
- LaPlante LH, Delaney S (2020) Male mate choice for a female ornament in a monogamous cichlid fish, *Mikrogeophagus ramirezi*. *J. Fish Biol.* 96:663-668.
- Longo AV, Rodríguez-Gómez CA, Zegarra JP, Monzón O, Claudio-Hernández HJ, Joglar RL, Zamudio KR, Burrowes PA, López-Torres AL (2020) Tick parasitism as a cost of sexual selection and male parental care in a Neotropical frog. *Ecosphere* 11:e03010.
- Nguyen, C. D. H., G. Amoroso, T. Ventura, J. J. Minich, and A. Elizur. 2020. Atlantic Salmon (*Salmo salar* L., 1758) gut microbiota profile correlates with flesh pigmentation: cause or effect? *Marine Biotechnology* 22:786-804.
- Prasetya AM, Peters A, Delhey K (2020) Carotenoid-based plumage colour saturation increases with temperature in Australian passerines. *Journal of Biogeography* 47:2671-2683.
- Sawant PB, Chakravarty S, Dasgupta S, Chadha NK, Sawant BT (2020) The quintessence of colour enhancement in ornamental fishes: an empirical pathway towards rainbow revolution. *Current Science* 119:1093-1100.
- Stephenson J, Stevens M, Troscianko J, Jokela J (2020) The size, symmetry, and color saturation of a male guppy's ornaments forecast his resistance to parasites. *Am. Nat.* 196:597-608.
- Zorrozuva N, Alonso-Álvarez C, Diaz B, Sanpera C, Jover L, Arizaga J (2020) Carbon $\delta^{13}C$ isotopic marker values correlate with carotenoid-based bill colouration in adult yellow-legged gulls *Larus michahellis*. *Ardeola* 67:325-339, 15.
- Agbali, M., and C. Smith. 2019. A role for receiver bias in rose bitterling mate choice? *International Journal of Applied Science* 1:386-395.
- Cantarero A, Mateo R, Camarero P, Alonso D, Fernandez-Eslava B, Alonso-Alvarez C (2019) A mitochondria-targeted antioxidant affects the carotenoid-based plumage of red crossbills. *bioRxiv*:839670.
- (440)** Engel KC, Hwang W, Steiger S (2019) A pheromone that coordinates parental care is evolutionary conserved among burying beetles (Silphidae: Nicrophorus). *Chemoecology* 29:1-9.
- Erritouni YR, Reinke BA, Calsbeek R (2019) A novel body coloration phenotype in *Anolis sagrei*: Implications for physiology, fitness, and predation. *PLoS One* 13:e0209261.
- Franklin AM, Donatelli CM, Culligan CR, Tytell ED (2019) Meral-spot reflectance signals weapon performance in the mantis shrimp *Neogonodactylus oerstedii* (Stomatopoda). *Biological Bulletin* 236:43-54.
- Leclaire S, Bourret V, Pineaux M, Blanchard P, Danchin E, Hatch SA (2019) Red coloration varies with dietary carotenoid access and nutritional condition in kittiwakes. *J. Exp. Biol.* 222:jeb210237.
- Marson KM, Taylor DS, Earley RL (2019) Cryptic male phenotypes in the mangrove rivulus fish, *Kryptolebias marmoratus*. *Biological Bulletin* 236:13-28.
- Mieno A, Karino K (2019) Male mate preference for female coloration in a Cyprinid fish, *Puntius titteya*. *Zool. Sci.* 36:504-510.
- Mos B, Dworjanyn SA (2019) Ready to harvest? Spine colour predicts gonad index and gonad colour rating of a commercially important sea urchin. *Aquaculture* 505:510-516.
- Ogita M, Karino K (2019) Effect of body coloration on male–male competition in a cyprinid fish *Puntius titteya*. *Zool. Sci.* 36:141-146.
- Segura LN, Mahler B (2019) Male Red-crested Cardinal plumage coloration is associated with parental abilities and breeding performance. *Scientific Reports* 9:10958.

Wojan EM, Carreiro NC, Clendenen DA, Neldner HM, Castillo C, Bertram SM, Kolluru GR (2019) The effects of commonly used anaesthetics on colour measurements across body regions in the poeciliid fish, *Girardinus metallicus*. *J. Fish Biol.* 95:1320-1330.

- (430) Amundsen T (2018) Sex roles and sexual selection: lessons from a dynamic model system. *Current Zoology* 64:363-392.
- Bruch EE, Newman MEJ (2018) Aspirational pursuit of mates in online dating markets. *Science Advances* 4:eaap9815.
- Busso JP, Blanckenhorn WU (2018) Disruptive sexual selection on male body size in the polyphenic black scavenger fly *Sepsis thoracica*. *Behav. Ecol.* 29:769-777.
- Cantarero A, Pilastro A, Griggio M (2018) Nestling sex ratio is associated with both male and female attractiveness in rock sparrows. *J. Avian Biol.* 49:e01666.
- Freeman-Gallant CR, Taff CC (2018) Age and infection history are revealed by different ornaments in a warbler. *Oecologia* 188:1025–1036.
- Hudson SB, Wilcoxon TE (2018) Condition dependence of structural plumage coverage in Indigo Buntings *Passerina cyanea*. *Avian Biol. Res.* 11:54-61.
- Janas K, Podmokła E, Lutyk D, Dubiec A, Gustafsson L, Cichoń M, Drobniak S (2018) Influence of haemosporidian infection status on structural and carotenoid-based colouration in the blue tit (*Cyanistes caeruleus*). *J. Avian Biol.* 49:e01840.
- Karvonen A, Wagner CE, Selz OM, Seehausen O (2018) Divergent parasite infections in sympatric cichlid species in Lake Victoria. *J. Evol. Biol.* 31:1313-1329.
- Knight A, Ewen JG, Brekke P, Santure AW (2018) The evolutionary biology, ecology and epidemiology of *Coccidia* of passerine birds. In: *Adv. Parasitol.* Academic Press
- Koch RE, Hill GE (2018) Do carotenoid-based ornaments entail resource tradeoffs? An evaluation of theory and data. *Functional Ecology* 32:1908-1920.
- (420) Montoya B, Flores C, Torres R (2018) Repeatability of a dynamic sexual trait: Skin color variation in the Brown Booby (*Sula leucogaster*). *Auk* 135:622-636.
- Pardal S, Alves J, A., Mota P, G., Ramos J, A. (2018) Dressed to impress: breeding plumage as a reliable signal of innate immunity. *J. Avian Biol.* 49:e01579.
- Parolini M, Iacobuzio R, Possenti CD, Bassano B, Pennati R, Saino N (2018) Carotenoid-based skin coloration signals antioxidant defenses in the brown trout (*Salmo trutta*). *Hydrobiologia* 815:267-280.
- Pike TW (2018) Discrimination of signal carotenoid content using multidimensional chromatic information. *Behav. Ecol.* 29:87-92.
- Scott RJ, Black CA (2018) An experimental examination of dietary impacts on nuptial signal expression in threespine stickleback: does the nuptial signal indicate carotenoid and lipid stores? *Experimental Biology of Fishes* 101:687-698.
- Sumasgutner P, Adrion M, Gamauf A (2018) Carotenoid coloration and health status of urban Eurasian kestrels (*Falco tinnunculus*). *PLoS One* 13:e0191956.
- Svobodová J, Bauerová P, Eliáš J, Velová H, Vinkler M, Albrecht T (2018) Sperm variation in Great Tit males (*Parus major*) is linked to a haematological health-related trait, but not ornamentation. *J. Ornithol.* 159:815-822.
- Takahashi D (2018) Female mate choice based on male nuptial coloration in Pale Chub, *Zacco platypus*. *Zool. Sci.* 35:23-27.
- Weaver RJ, Santos ESA, Tucker AM, Wilson AE, Hill GE (2018) Carotenoid metabolism strengthens the link between feather coloration and individual quality. *Nature Communications* 9:73.
- Wojan EM, Bertram SM, Clendenen DA, Castillo C, Neldner HM, Kolluru GR (2018) Sexual selection on the multicomponent display of black morph male *Girardinus metallicus* (Pisces: Poeciliidae). *Behav. Process.* 153:1-8.
- (410) Wright A, E., Fumagalli M, Cooney Christopher R, Bloch Natasha I, Vieira Filipe G, Buechel Severine D, Kolm N, Mank Judith E (2018) Male-biased gene expression resolves sexual conflict through the evolution of sex-specific genetic architecture. *Evolution Letters* 2:52-61.

- Abrahão, M. and Alves, M. A. S. 2017. Sexual selection in birds: Influence of ambient light and conspicuity on the reproductive success of males. *Oecologia Australis* **21**:(4) 361-373.
- Broughton, D. R., B. C. Schneider, K. J. McGraw, and D. R. Ardia. 2017. Carotenoids buffer the acute phase response on fever, sickness behavior and rapid bill color change in zebra finches. *Journal of Experimental Biology* **220**:2957-2964.
- Burns, K. J., McGraw, K. J., Schultz, A. J., Stoddard, M., and Thomas, D. B. 2017. Advanced methods for studying pigmentation and coloration using avian specimens *in* Webster, M. S., ed. *The Extended Specimen: Emerging frontiers in collection-based ornithological research*. CRC Press.
- Czyż, M.J., and Gołdyn, B. 2017. Relative scaling and colouration of cercopodes in *Branchipus schaefferi* (Crustacea: Branchiopoda). *Biologia* **72**(3): 319-324.
- Devigili, A., Belluomo, V., Locatello, L., Rasotto, M. B., and Pilastro, A. 2017. Postcopulatory cost of immune system activation in *Poecilia reticulata*. *Ethology Ecology & Evolution* **29**:(3) 266-279.
- Fan, M., Hall, M. L., Kingma, S. A., Mandeltort, L. M., Hidalgo Aranzamendi, N., Delhey, K., and Peters, A. 2017. No fitness benefits of early molt in a fairy-wren: relaxed sexual selection under genetic monogamy? *Behav. Ecol.* **28**:(4) 1055-1067.
- Foo, Y. Z., Rhodes, G., and Simmons, L. W. 2017. The carotenoid beta-carotene enhances facial color, attractiveness and perceived health, but not actual health, in humans. *Behav. Ecol.* **28**:(2) 570-578.
- Foo, Y.Z., Simmons, L.W., and Rhodes, G. 2017. Predictors of facial attractiveness and health in humans. *Scientific Reports* **7**: 39731.
- Freeman-Gallant, C. R. and Taff, C. C. 2017. Age-specific patterns of infection with haemosporidians and trypanosomes in a warbler: implications for sexual selection. *Oecologia* **184**:(4) 813-823.
- (400)** García-Heras, M.-S., Arroyo, B., Simmons, R. E., Camarero, P. R., Mateo, R., García, J. T., and Mougeot, F. 2017. Pollutants and diet influence carotenoid levels and integument coloration in nestlings of an endangered raptor. *Science of The Total Environment* **603–604** 299-307.
- George, D. B., Schneider, B. C., McGraw, K. J., and Ardia, D. R. 2017. Carotenoids buffer the acute phase response on fever, sickness behavior and rapid bill color change in zebra finches. *Journal of Experimental Biology* **220**:(16) 2957-2964.
- Henschen, A. E., Whittingham, L. A., and Dunn, P. O. 2017. The relationship between blood parasites and ornamentation depends on the level of analysis in the common yellowthroat. *J. Avian Biol.* **48**:(9) 1263-1272.
- Kock, R. E., Josefson, C. C., and Hill, G. E. 2017. Mitochondrial function, ornamentation, and immunocompetence. *Biological Reviews* **92**:(3) 1459-1474.
- Lee, A.-I., Baek, M. J., Choe, J. C., and Jablonski, P. G. 2017. Characterisation of the major carotenoids in the plasma of the Eurasian magpie (*Pica pica*) nestlings. *Korean Journal of Ornithology* **24**:(1) 1-9.
- Lehnert, S. J., Devlin, R. H., Pitcher, T. E., Semeniuk, C. A. D., and Heath, D. D. 2017. Redder isn't always better: cost of carotenoids in Chinook salmon eggs. *Behav. Ecol.* **28**:(2) 549-555.
- Theis, A., Roth, O., Cortesi, F., Ronco, F., Salzburger, W., and Egger, B. 2017. Variation of anal fin egg-spots along an environmental gradient in a haplochromine cichlid fish. *Evolution* **71**(3): 766-777.
- Václav, R., and Kolníková, Z. 2017. Effects of food and thermal regimes on body condition indices and skin colouration in corn snakes. *Biologia* **72**: 84.
- Wilkins, L. G. E., Marques da Cunha, L., Menin, L., Ortiz, D., Vocat-Mottier, V., Hobil, M., Nusbaumer, D., and Wedekind, C. 2017. Maternal allocation of carotenoids increases tolerance to bacterial infection in brown trout. *Oecologia* **185**:(3) 351-363.
- Brown, A.C., Cahn, M.D., Choi, S., and Clotfelter, E.D. 2016. Dietary carotenoids and bacterial infection in wild and domestic convict cichlids (*Amatitlania spp.*). *Environmental Biology of Fishes* **99**(4): 439-449.
- (390)** Dias, R.I., Manica, L.T., Gressler, D., Bell, J.A., and Fecchio, A. 2016. Plumage coloration, body condition and immunological status in yellow-billed cardinals (*Paroaria capitata*). *Ethology, Ecology and Evolution* **28**(4): 462-476.
- García-de Blas, E., Mateo, R., and Alonso-Alvarez, C. 2016. Specific carotenoid pigments in the diet and a bit of oxidative stress in the recipe for producing red carotenoid-based signals. *PeerJ* **4**: e2237.

- Horak, P., and M. Manniste. 2016. Viability selection affects black but not yellow plumage colour in greenfinches. *Oecologia* 180 (1):23-32
- Lee, S.-i., Kim, M., Choe, J.C., and Jablonski, P.G. 2016. Evolution of plumage coloration in the crow family (Corvidae) with a focus on the color-producing microstructures in the feathers: a comparison of eight species. *Animal Cells and Systems* 20(2): 95-102.
- Lifshitz, N., and St Clair, C.C. 2016. Coloured ornamental traits could be effective and non-invasive indicators of pollution exposure for wildlife. *Conservation Physiology* 4(1): cow028.
- Lim, H.H., and Pike, T.W. 2016. Dietary carotenoid availability affects avian color discrimination. *Behavioral Ecology* 27(6): 1579-1584.
- López Rull, I., Nicolás, L., Neri-Vera, N., Argáez, V., Martínez, M., and Torres, R. 2016. Assortative mating by multiple skin color traits in a seabird with cryptic sexual dichromatism. *Journal of Ornithology* 157:(4) 1049-1062.
- Perez-Rodriguez, L., E. Garcia de Blas, J. Martinez-Padilla, F. Mougeot, and R. Mateo. 2016. Carotenoid profile and vitamins in the combs of the red grouse (*Lagopus lagopus scoticus*): implications for the honesty of a sexual signal. *Journal of Ornithology* 157(1): 145-157
- Rowe, M., Pierson, K.L., and McGraw, K.J. 2016. Exploratory behavior is associated with plasma carotenoid accumulation in two congeneric species of waterfowl. *Behavioural Processes* 115: 181-190.
- Tomasek, O., Gabrielova, B., Kacer, P., Marsik, P., Svobodova, J., Syslova, K., Vinkler, M. and Albrecht, T. 2016. Opposing effects of oxidative challenge and carotenoids on antioxidant status and condition-dependent sexual signalling. *Scientific Reports*, 6: Article number 23546.
- (380)** Anderson, C., Wong, S.C., Fuller, A., Zigelsky, K. and Earley, R.L. 2015. Carotenoid-based coloration is associated with predation risk, competition, and breeding status in female convict cichlids (*Amatitlania siquia*) under field conditions. *Env. Biol. Fishes*, 98: 1005-1013.
- Beck, M. L., W. A. Hopkins, and D. M. Hawley. 2015. Relationships among plumage coloration, blood selenium concentrations, and immune responses of adult and nestling tree swallows. *The Journal of Experimental Biology* 218:3415-3424.
- Casagrande, S., Pinxten, R., Zaid, E., and Eens, M. 2015. Birds receiving extra carotenoids keep singing during the sickness phase induced by inflammation. *Behavioral Ecology and Sociobiology* 69(6): 1029-1037.
- Davis, A.K. and Altizer, S. 2015. New Perspectives on Monarch Migration, Evolution, and Population Biology: An Overview. In *Monarchs in a Changing World: Biology and Conservation of an Iconic Butterfly* (K.S. Oberhauser, K.R. Nail and S. Altizer, eds), p. 352. Ithaca: Cornell University Press.
- Driessens, T., Huyghe, K., Vanhooydonck, B. and Van Damme, R. 2015. Messages conveyed by assorted facets of the dewlap, in both sexes of *Anolis sagrei*. *Behav. Ecol. Sociobiol.*, 69: 1251-1264.
- Heinen-Kay, J.L., Morris, K.E., Ryan, N.A., Byerley, S.L., Venezia, R.E., Peterson, M.N. and Langerhans, R.B. 2015. A trade-off between natural and sexual selection underlies diversification of a sexual signal. *Behav. Ecol.*, 26(2): 533-542.
- Jacob, S., Parthuisot, N., Vallat, A., Ramon-Portugal, F., Helfenstein, F., and Heeb, P. 2015. Microbiome affects egg carotenoid investment, nestling development and adult oxidative costs of reproduction in Great tits. *Functional Ecology* 29: 1048-1058..
- Johnson, A. M. and R. C. Fuller (2015). "The meaning of melanin, carotenoid, and pterin pigments in the bluefin killifish, *Lucania goodei*." *Behavioral Ecology* 26: 158-167.
- Kemp, D.J., and Grether, G.F. 2015. Integrating Functional and Evolutionary Approaches to the Study of Color-Based Animal Signals. In *Animal Signaling and Function: an integrative approach*. Edited by D. J. Irschick, M. Briffa, and J. Podos. John Wiley & Sons, Inc., Hoboken, NJ, USA. pp. 111-140.
- Leclaire, S., Bourret, V., Blanchard, P., de Franceschi, C., Merklings, T., Hatch, S.A. and Danchin, E. 2015. Carotenoids increase immunity and sex specifically affect color and redox homeostasis in a monochromatic seabird. *Behav. Ecol. Sociobiol.*, 69: 1097-1111.
- (370)** Leitao, A.V., Ferreira, A.C., Funghi, C., Trigo, S. and Mota, P.G. 2015. Evidence for multiple functions in a sexually selected ornament. *Anim. Behav.*, 110: 155-161.

- Lopez-Rull, I., Hornero-Mendez, D., Frias, O. and Blanco, G. 2015. Age-related relationships between innate immunity and plasma carotenoids in an obligate avian scavenger. *PLoS One*, **10**: e0141759.
- Mehlis, M., Rick, I.P. and Bakker, T.C.M. 2015. Dynamic resource allocation between pre- and postcopulatory episodes of sexual selection determines competitive fertilization success. *Proceedings of the Royal Society of London B: Biological Sciences*, **282**.
- Plasman, M., Reynoso, V.H., Nicolas, L. and Torres, R. 2015. Multiple colour traits signal performance and immune response in the Dickerson's collared lizard *Crotaphytus dickersonae*. *Behav. Ecol. Sociobiol.*, **69**: 765-775.
- Reudink, M. W., A. E. McKellar, K. L. D. Marini, S. L. McArthur, P. P. Marra, and L. M. Ratcliffe. 2015. Inter-annual variation in American redstart (*Setophaga ruticilla*) plumage colour is associated with rainfall and temperature during moult: an 11-year study. *Oecologia* 178:161-173.
- Simons, M.J.P., Groothuis, T.G.G., and Verhulst, S. 2015. An appraisal of how the vitamin A-redox hypothesis can maintain honesty of carotenoid-dependent signals. *Ecology and Evolution* **5**(1): 224-228.
- Steffen, J.E., Learn, K.M., Drumheller, J.S., Boback, S.M. and McGraw, K.J. 2015. Carotenoid composition of colorful body stripes and patches in the painted turtle (*Chrysemys picta*) and red-eared slider (*Trachemys scripta*). *Chelonian Conservation and Biology*, **14**: 56-63.
- Theis, A., T. Bosia, T. Roth, W. Salzburger, and B. Egger. 2015. Egg-spot pattern and body size asymmetries influence male aggression in haplochromine cichlid fishes. *Behavioral Ecology* **26**(6):1512-1519.
- Tian, H., Wu, P., Wang, W. and Ru, S. 2015. Disruptions in aromatase expression in the brain, reproductive behavior, and secondary sexual characteristics in male guppies (*Poecilia reticulata*) induced by tributyltin. *Aquat. Toxicol.*, **162**: 117-125.
- Trigo, S. and Mota, P.G. 2015. What is the value of a yellow patch? Assessing the signalling role of yellow colouration in the European serin. *Behav. Ecol. Sociobiol.*, **69**: 481-490.
- (360)** Wilgers, D.J., and Hebets, E.A. 2015. Functional Approach to Condition. *In* Animal Signaling and Function. *Edited by* D. J. Irschick, M. Briffa, and J. Podos. John Wiley & Sons, Inc., Hoboken, NJ, USA. pp. 229-252.
- Brown, A.C., Leonard, H.M., McGraw, K.J., and Clotfelter, E.D. 2014. Maternal effects of carotenoid supplementation in an ornamented cichlid fish. *Functional Ecology* **28**(3): 612-620.
- Costantini, D. 2014. The costs of make-up in sexual selection and social signalling. *In* Oxidative Stress and Hormesis in Evolutionary Ecology and Physiology: a marriage between mechanistic and evolutionary approaches. *Edited by* D. Costantini. Springer-Verlag, Berlin. pp. 171-204.
- Fairhurst, G.D., Dawson, R.D., Oort, H., and Bortolotti, G.R. 2014. Synchronizing feather-based measures of corticosterone and carotenoid-dependent signals: what relationships do we expect? *Oecologia* **174**(3): 689-698.
- Garcia-de Blas, E., Mateo, R., and Alonso-Alvarez, C. 2014. Accumulation of dietary carotenoids, retinoids and tocopherol in the internal tissues of a bird: a hypothesis for the cost of producing colored ornaments. *Oecologia* **177**(1): 259-271.
- Garcia-de Blas, E., Mateo, R., Guzman Bernardo, F.J., Rodriguez Martin-Domeadios, R.C., and Alonso-Alvarez, C. 2014. Astaxanthin and papilioerythrinone in the skin of birds: a chromatic convergence of two metabolic routes with different precursors? *Naturwissenschaften* **101**(5): 407-416.
- Giraudeau, M., and McGraw, K.J. 2014. Physiological correlates of urbanization in a desert songbird. *Integrative and Comparative Biology* **54**(4): 622-632.
- Jones, T.B., Drake, A., and Green, D.J. 2014. Individual quality explains association between plumage colouration, arrival dates and mate acquisition in yellow warblers (*Setophaga petechia*). *BMC Ecology* **14**.
- Kopena, R., Lopez, P., and Marin, J. 2014. What are carotenoids signaling? Immunostimulatory effects of dietary vitamin E, but not of carotenoids, in Iberian green lizards. *Naturwissenschaften* **101**(12): 1107-1114.

- Lahaye, S.E.P., Eens, M., Darras, V.M., and Pinxten, R. 2014. Bare-part color in female budgerigars changes from brown to structural blue following testosterone treatment but is not strongly masculinized. *PLoS One* **9**(1): e86849.
- (350)** Leitão, A.V., Monteiro, A.H., and Mota, P.G. 2014. Ultraviolet reflectance influences female preference for colourful males in the European serin. *Behavioral Ecology and Sociobiology* **68**(1): 63-72.
- Lopez-Rully, I. and Beamonte-Barrientos, R. 2014. Cortejos: mecanismos y función adaptiva. In *Biología del Compartamiento: aportaciones desde fisiología* (M. Martínez-Gómez, R.A. Lucio and J. Rodríguez Antolín, eds).
- Lucas, A., Morales, J., and Velando, A. 2014. Differential effects of specific carotenoids on oxidative damage and immune response of gull chicks. *Journal of Experimental Biology* **217**: 1253-1262.
- Männiste, M., and Hõrak, P. 2014. Emerging infectious disease selects for darker plumage in greenfinches. *Frontiers in Ecology and Evolution* **2**: Article 4 (1-6).
- Martinez-Padilla, J., Perez-Rodriguez, L., Mougeot, F., Ludwig, S., and Redpath, S.M. 2014. Intra-sexual competition alters the relationship between testosterone and ornament expression in a wild territorial bird. *Hormones and Behavior* **65**(5): 435-444.
- Mukulas, J.E., and Brooks, D.M. 2014. A case of hermaphroditism in a wood duck (*Aix sponsa*). *Bulletin of the Texas Ornithological Society* **43**(1): 63-65.
- Sefc, K.M., Brown, A.C., and Clotfelter, E.D. 2014. Carotenoid-based coloration in cichlid fishes. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology* **173**: 42-51.
- Simons, M.J.P., Maia, R., Leenknecht, B., and Verhulst, S. 2014. Carotenoid-dependent signals and the evolution of plasma carotenoid levels in birds. *American Naturalist* **184**(6): 741-751.
- Steffen, J.E., and Guyer, C.C. 2014. Display behaviour and dewlap colour as predictors of contest success in brown anoles. *Biological Journal of the Linnean Society* **111**(3): 646-655.
- Walker, L.K., Thorogood, R., Karadas, F., Raubenheimer, D., Kilner, R.M., and Ewen, J.G. 2014. Foraging for carotenoids: do colorful male hihi target carotenoid-rich foods in the wild? *Behavioral Ecology* **25**(5): 1048-1057.
- (340)** Alfonso, Y.U., Morris, H.J., Gutiérrez, A., Rodríguez-Schettino, L., Denis, D., and Steffen, J.E. 2013. Dewlap color variation based on pterin and carotenoid pigments in three subspecies of anolis jubar of the Cuban southern coast. *Copeia* **2013**(2): 201-205.
- Blanco, G., Hornero-Méndez, D., Lambertucci, S.A., Bautista, L.M., Wiemeyer, G., Sanchez-Zapata, J.A., Garrido-Fernández, J., Hiraldo, F., and Donazar, J.A. 2013. Need and seek for dietary micronutrients: endogenous regulation, external signalling and food sources of carotenoids in New World vultures. *PLoS One* **8**(6): e65562.
- Brown, A.C., McGraw, K.J., and Clotfelter, E.D. 2013. Dietary carotenoids increase yellow nonpigment coloration of female convict cichlids (*Amantitlania nigrofasciata*). *Physiological and Biochemical Zoology* **86**(3): 312-322. doi:10.1086/670734.
- Cook, E., Murphy, T., and Johnson, M. 2013. Colorful displays signal male quality in a tropical anole lizard. *Naturwissenschaften* **100**: 993-996.
- Del Val, E., Negro, J.J., and Senar, J.C. 2013. Seasonal variation of circulating plasma carotenoids in Mediterranean Great Tit *Parus major*. *Bird Study* **60**(4): 459-465.
- Doutrelant, C., Grégoire, A., Gomez, D., Staszewski, V., Arnoux, E., Tveraa, T., Faivre, B., and Boulinier, T. 2013. Colouration in Atlantic puffins and blacklegged kittiwakes: monochromatism and links to body condition in both sexes. *Journal of Avian Biology* **44**(5): 451-460.
- García-de Blas, E., Rafael, M., Vinuela, J., Perez-Rodriguez, L., and Alonso-Alvarez, C. 2013. Free and Esterified Carotenoids in Ornaments of an Avian Species: The Relationship to Color Expression and Sources of Variability. *Physiological and Biochemical Zoology* **86**(5): 483-498.
- Giraudeau, M., Sweazea, K., Butler, M.W., and McGraw, K.J. 2013. Effects of carotenoid and vitamin E supplementation on oxidative stress and plumage coloration in house finches (*Haemorrhous mexicanus*). *Comparative Biochemistry and Physiology - Part A* **166**(3): 406-413.
- Gotanda, K., Delaire, L., Raeymaekers, J., Pérez-Jvostov, F., Dargent, F., Bentzen, P., Scott, M., Fussmann, G., and Hendry, A. 2012. Adding parasites to the guppy-predation story: insights from field surveys. *Oecologia* **172**(1): 155-166.

- Hamilton, D.G., Whiting, M.J., and Pryke, S.R. 2013. Fiery frills: carotenoid-based coloration predicts contest success in frillneck lizards. *Behavioral Ecology* **24**(5): 1138-1149.
- (330) Hudon, J., Derbyshire, D., Leckie, S., and Flinn, T. 2013. Diet-induced plumage erythrim in Baltimore orioles as a result of the spread of introduced shrubs. *The Wilson Journal of Ornithology* **125**(1): 88-96. doi:10.1676/11-161.1.
- Johnson, J.D., and Hill, G.E. 2013. Is carotenoid ornamentation linked to the inner mitochondria membrane potential? A hypothesis for the maintenance of signal honesty. *Biochimie* **95**(2): 436-444.
- Lahaye, S.E.P., Eens, M., Darras, V.M., and Pinxten, R. 2013. Hot or not: the effects of exogenous testosterone on female attractiveness to male conspecifics in the budgerigar. *PLoS ONE* **8**(8): e74005.
- Leniowski, K., and Węgrzyn, E. 2013. The carotenoid-based red cap of the Middle Spotted Woodpecker *Dendrocopos medius* reflects individual quality and territory size. *Ibis* **155**(4): 804-813.
- Lozano, G.A., Lank, D.B., and Addison, B. 2013. Immune and oxidative stress trade-offs in four classes of ruffs (*Philomachus pugnax*) with different alternative reproductive strategies. *Canadian Journal of Zoology* **91**: 212-218.
- Mehlis, M., & Bakker, T. C. M. (2013). Male reproductive traits of full-sibs of different age classes in three-spined sticklebacks (*Gasterosteus*). *Springer Plus* **2**: 175. doi:10.1186/2193-1801-2-175.
- Midamegbe, A., Grégoire, A., Staszewski, V., Perret, P., Lambrechts, M.M., Boulonier, T., and Doutrelant, C. 2013. Female blue tits with brighter yellow chests transfer more carotenoids to their eggs after an immune challenge. *Oecologia* **173**(2): 387-397.
- Pérez-Rodríguez, L., Martínez-Padilla, J., and Mougeot, F. 2013. Carotenoid-Based Ornaments as Signals of Health Status in Birds: Evidences from Two Galliform Species, the Red-Legged Partridge (*Alectoris rufa*) and the Red Grouse (*Lagopus lagopus scoticus*). In *Carotenoids: Food Sources, Production and Health Benefits*. Edited by M. Yamaguchi. Nova Science Publishers, Hauppauge, New York. pp. 173-198.
- Pickett, S.R.A., Weber, S.B., McGraw, K.J., Norris, K.J., and Evans, M.R. 2013. Environmental and parental influences on offspring health and growth in great tits *Parus major*. *PLoS One* **8**(7): e69695.
- Polo-Cavia, N., López, P., and Martín, J. 2013. Head coloration reflects health state in the red-eared slider *Trachemys scripta elegans*. *Behavioral Ecology and Sociobiology* **67**(1): 153-162.
- (320) Rahman, M.M., Kelley, J.L., and Evans, J.P. 2013. Condition-dependent expression of pre- and postcopulatory sexual traits in guppies. *Ecology and Evolution* **3**(7): 2197-2213.
- Synek, P., Albrecht, T., Vinkler, M., Schnitzer, J., Votýpka, J., and Munclinger, P. 2013. Haemosporidian parasites of a European passerine wintering in South Asia: diversity, mixed infections and effect on host condition. *Parasitology Research* **112**(4): 1667-1677.
- Vroonen, J., Vervusrt, B., and Van Damme, R. 2013. Melanin-based colouration as a potential indicator of male quality in the lizard *Zootoca vivipara* (Squamata: Lacertidae). *Amphibia-Reptilia* **34**(3): 539-549.
- Weiss, S.L., Mulligan, E.E., Wilson, D.S., and Kabelik, D. 2013. Effect of stress on female-specific ornamentation. *Journal of Experimental Biology* **216**(14): 2641-2647.
- Yang, C., Wang, J., Fang, Y., and Sun, Y.-H. 2013. Is sexual ornamentation an honest signal of male quality in the Chinese grouse (*Tetrastes sewerzowi*)? *PLoS One* **8**(12): e82972.
- Alonso-Alvarez, C., Pérez-Rodríguez, L., Ferrero, M., García de-Blas, E., Casas, F., and Mougeot, F. 2012. Adjustment of female reproductive investment according to male carotenoid-based ornamentation in a gallinaceous bird. *Behavioral Ecology and Sociobiology* **66**(5): 731-742. doi:10.1007/s00265-012-1321-8.
- Blount, J.D., and Pike, T.W. 2012. Deleterious effects of light exposure on immunity and sexual coloration in birds. *Functional Ecology* **26**(1): 37-45. doi:10.1111/j.1365-2435.2011.01926.x.
- Doutrelant, C., Grégoire, A., Midamegbe, A., Lambrechts, M., and Perret, P. 2012. Female plumage coloration is sensitive to the cost of reproduction. An experiment in blue tits. *Journal of Animal Ecology* **81**(1): 87-96. doi:10.1111/j.1365-2656.2011.01889.x.
- García-Navas, V., Ferrer, E.S., and Sanz, J.J. 2012. Plumage yellowness predicts foraging ability in the blue tit *Cyanistes caeruleus*. *Biological Journal of the Linnean Society* **106**(2): 418-429. doi:10.1111/j.1095-8312.2012.01865.x.

- Garratt, M., and Brooks, R.C. 2012. Oxidative stress and condition-dependent sexual signals: more than just seeing red. Proceedings of the Royal Society B **279**(1741): 3121-3130.
- (310)** Hasselquist, D., and Nilsson, J.Å. 2012. Physiological mechanisms mediating costs of immune responses: what can we learn from studies of birds? Animal Behaviour **83**(6): 1303-1312.
- Hendrie, C.A., and Brewer, G. 2012. Evidence to suggest that teeth act as human ornament displays signalling mate quality. PLoS One **7**(7): e42178.
- Hill, G.E., and Johnson, J.D. 2012. The vitamin A-Redox hypothesis: A biochemical basis for honest signaling via carotenoid pigmentation. American Naturalist **180**(5): E127-E150.
- Hudon, J., Storni, A., Pini, E., Anciães, M., and Stradi, A.R. 2012. Rhodoxanthin as a characteristic keto-carotenoid of manakins (Pipridae). Auk **129**(3): 491-499.
- Kelly, R.J., Murphy, T.G., Tarvin, K.A., and Burness, G. 2012. Carotenoid-based ornaments of female and male American goldfinches (*Spinus tristis*) show sex-specific correlations with immune function and metabolic rate. Physiological and Biochemical Zoology **85**(4): 348-363.
- Korine, C., Krasnov, B.R., Khokhlova, I.S., and Pinshow, B. 2012. Effects of host diet and thermal state on feeding performance of the flea *Xenopsylla ramesis*. Journal of Experimental Biology **215**(9): 1435-1441. doi:10.1242/jeb.061796.
- Legagneux, P., Clark, R.G., Guillemain, M., Eraud, C., Théry, M., and Bretagnolle, V. 2012. Large-scale geographic variation in iridescent structural ornaments of a long-distance migratory bird. Journal of Avian Biology **43**(4): 355-361. doi:10.1111/j.1600-048X.2012.05666.x.
- Maia, R., Brasileiro, L., Lacava, R.V., and Macedo, R.H. 2012. Social environment affects acquisition and color of structural nuptial plumage in a sexually dimorphic tropical passerine. PLoS One **7**(10): e47501. doi:10.1371/journal.pone.0047501.
- Mitrus, C., Mitrus, J., and Sikora, M. 2012. Badge size and arrival time predict mating success of red-breasted flycatcher *Ficedula parva* males. Zoological Science **29**(12): 795-799.
- Orledge, J.M., Blount, J.D., Hoodless, A.N., and Royle, N.J. 2012. Antioxidant supplementation during early development reduces parasite load but does not affect sexual ornament expression in adult ring-necked pheasants. Functional Ecology **26**(3): 688-700.
- (300)** Rosenthal, M.F., Murphy, T.G., Darling, N., and Tarvin, K.A. 2012. Ornamental bill color rapidly signals changing condition. Journal of Avian Biology **43**(6): 553-564.
- San-Jose, L.M., Granado-Lorencio, F., and Fitze, P.S. 2012. Dietary lipids reduce the expression of carotenoid-based coloration in *Lacerta vivipara*. Functional Ecology **26**(3): 646-656. doi:10.1111/j.1365-2435.2012.01970.x.
- Simons, M.J.P., Briga, M., Koetsier, E., Folkertsma, R., Wubs, M.D., Dijkstra, C., and Verhulst, S. 2012a. Bill redness is positively associated with reproduction and survival in male and female zebra finches. PLoS One **7**(7): e40721.
- Simons, M.J.P., Cohen, A.A., and Verhulst, S. 2012b. What does carotenoid-dependent coloration tell? Plasma carotenoid level signals immunocompetence and oxidative stress state in birds - a meta-analysis. PLoS One **7**(8): e43088.
- Stephen, I.D., Scott, I.M.L., Coetzee, V., Pound, N., Perrett, D.I., and Penton-Voak, I. 2012. Cross-cultural effects of color, but not morphological masculinity, on perceived attractiveness of men's faces. Evolution and Human Behavior **33**(4): 260-267.
- Sternalski, A., Mougeot, F., and Bretagnolle, V. 2012a. Phenotypic variation in nestlings of a bird of prey under contrasting breeding and diet conditions. Biological Journal of the Linnean Society **107**(4): 799-812.
- Sternalski, A., Mougeot, F., Parker, N.R., Pérez-Rodríguez, L., and Bretagnolle, V. 2012b. Carotenoid-based coloration, condition, and immune responsiveness in the nestlings of a sexually dimorphic bird of prey. Physiological and Biochemical Zoology **85**(4): 364-375.
- Theis, A., Salzburger, W., and Egger, B. 2012. The function of anal fin egg-spots in the cichlid fish *Astatotilapia burtoni*. PLoS One **7**(1): e29878.
- Whitehead, R.D. 2012. Attractive skin coloration: harnessing sexual selection to improve diet and health. Evolutionary Psychology **10**(5): 842-854.
- Zanollo, V., Griggio, M., Robertson, J., and Kleindorfer, S. 2012. The number and coloration of white flank spots predict the strength of a cutaneous immune response in female Diamond Firetails, *Stagonopleura guttata*. Journal of Ornithology **153**(4): 1233-1244. doi:10.1007/s10336-012-0855-x.

- (290) Casagrande, S., Dell'Omo, G., Costantini, D., Tagliavini, J., and Groothuis, T. 2011. Variation of a carotenoid-based trait in relation to oxidative stress and endocrine status during the breeding season in the Eurasian kestrel: a multi-factorial study. Comparative Biochemistry and Physiology, Part A **160**(1): 16-26.
- Dijkstra, P.D., Wiegertjes, G.F., Forlenza, M., van der Sluijs, I., Hofmann, H.A., Metcalfe, N.B., and Groothuis, T.G.G. 2011. The role of physiology in the divergence of two incipient cichlid species. Journal of Evolutionary Biology **24**(12): 2639-2652. doi:10.1111/j.1420-9101.2011.02389.x.
- Egger, B., Klaeffer, Y., Theis, A., and Salzburger, W. 2011. A sensory bias has triggered the evolution of egg-spots in cichlid fishes. PLoS One **6**(10): e25601.
- Evans, J.D., Pilastro, A., and Schlupp, I. 2011. Ecology and Evolution of Poeciliid Fishes. University of Chicago Press.
- Giraudeau, M., Duval, C., Czirájk, G.Á., Bretagnolle, V., Eraud, C., McGraw, K.J., and Heeb, P. 2011. Maternal investment of female mallards is influenced by male carotenoid-based coloration. Proceedings of the Royal Society B **278**(1706): 781-788.
- Hill, G.E. 2011. Condition-dependent traits as signals of the functionality of vital cellular processes. Ecology Letters **14**(4): 625-634. doi:10.1111/j.1461-0248.2011.01622.x.
- Jacobs, A.C., and Zuk, M. 2011. Sexual selection and parasites: do mechanisms matter? *In* Ecoimmunology. Edited by G. Demas, and R. Nelson. Oxford University Press, Oxford. pp. 468-496.
- Kekäläinen, J., Leppänen, H.R., Huuskonen, H., Lai, Y.T., Valkama, H., and Taskinen, J. 2011. The information content of odour, colour and tactile cues in the mate choice of minnows. Behaviour **148**(8): 909-925.
- Koivula, M.J., Kanerva, M., Salminen, J.P., Nikinmaa, M., and Eeva, T. 2011. Metal pollution indirectly increases oxidative stress in great tit (*Parus major*) nestlings. Environmental Research **111**(3): 362-370.
- Leclaire, S., Bourret, V., Wagner, R.H., Hatch, S.A., Helfenstein, F., Chastel, O., and Danchin, E. 2011. Behavioral and physiological responses to male handicap in chick-rearing black-legged kittiwakes. Behavioral Ecology and Sociobiology **22**: 1156-1165. doi:10.1093/beheco/arr149.
- (280) López, G., Soriguer, S., and Figuerola, J. 2011. Is bill colouration in wild male Blackbirds (*Turdus merula*) related to biochemistry parameters and parasitism? Journal of Ornithology **152**(4): 965-973.
- Losdat, S., Helfenstein, F., Gaude, B., and Richner, H. 2011. Reproductive effort transiently reduces antioxidant capacity in a wild bird. Behavioral Ecology **22**(6): 1218-1226. doi:10.1093/beheco/arr116.
- Männiste, M., and Hórak, P. 2011. Effects of immune activation and glucocorticoid administration on feather growth in greenfinches. Journal of Experimental Zoology, Part A **315 A**(9): 527-535. doi:10.1002/jez.701.
- Markó, G., Costantini, D., Michl, G., and Török, J. 2011. Oxidative damage and plasma antioxidant capacity in relation to body size, age, male sexual traits and female reproductive performance in the collared flycatcher (*Ficedula albicollis*). Journal of Comparative Physiology, Part B **181**(1): 73-81.
- McGraw, K. 2011. Avian antioxidants and oxidative stress: highlights from studies of food, physiology, and feathers. *In* Oxidative Stress in Applied Basic Research and Clinical Practice. Edited by L. Mandelker, and P Vajdovich. pp. 161-174.
- McGraw, K.J., Nolan, P.M., and Crino, O.L. 2011. Carotenoids bolster immunity during moult in a wild songbird with sexually selected plumage coloration Biological Journal of the Linnean Society **102**(3): 560-572. doi:10.1111/j.1095-8312.2010.01594.x.
- Midamegbe, A., Grégoire, A., Perret, P., and Doutrelant, C. 2011. Female-female aggressiveness is influenced by female coloration in blue tits. Animal Behaviour **82**(2): 245-253.
- Morales, J., Velando, A., and Torres, R. 2011. Biliverdin-based egg coloration is enhanced by carotenoid supplementation. Behavioral Ecology and Sociobiology **65**(2): 197-203.
- Mukherjee, A., Mandal, B., and Banerjee, S. 2011. Role of plant based natural carotenoids on feeding, growth and colouration of fish: A case study. *In* Carotenoids: Properties, Effects and Diseases. Edited by M. Yamaguchi. Nova Science Publishers. pp. 179-188.

- Perrot-Minnot, M.J., Gaillard, M., Dodet, R., and Cézilly, F. 2011. Interspecific differences in carotenoid content and sensitivity to UVB radiation in three acanthocephalan parasites exploiting a common intermediate host. International Journal for Parasitology **41**(2): 173-181.
- (270)** Peters, A., Magdeburg, S., and Delhey, K. 2011. The carotenoid conundrum: improved nutrition boosts plasma carotenoid levels but not immune benefits of carotenoid supplementation. Oecologia **166**(1): 35-43.
- Pike, T.W., Bjerkeng, B., Blount, J.D., Lindström, J., and Metcalfe, N.B. 2011. How integument colour reflects its carotenoid content: A stickleback's perspective. Functional Ecology **25**(1): 297-304.
- Rodewald, A.D., Shustack, D.P., and Jones, T.M. 2011. Dynamic selective environments and evolutionary traps in human-dominated landscapes. Ecology **92**(9): 1781-1788.
- Rowe, M., Czirájk, G.Á., McGraw, K.J., and Giraudeau, M. 2011. Sexual ornamentation reflects antibacterial activity of ejaculates in mallards. Biology Letters **7**(5): 740-742.
- Saino, N., Romano, M., Caprioli, M., Rubolini, D., and Ambrosini, R. 2011. Yolk carotenoids have sex-dependent effects on redox status and influence the resolution of growth trade-offs in yellow-legged gull chicks. Behavioral Ecology **22** (2): 411-421. doi:10.1093/beheco/arq220.
- Sarasola, J.H., Negro, J.J., Bechard, M.J., and Lanusse, A. 2011. Not as similar as thought: sexual dichromatism in Chimango Caracaras is expressed in the exposed skin but not in the plumage. Journal of Ornithology **152**(2): 473-479.
- Sepp, T., Karu, U., Sild, E., Männiste, M., and Hõrak, P. 2011. Effects of carotenoids, immune activation and immune suppression on the intensity of chronic coccidiosis in greenfinches. Experimental Parasitology **127**(3): 651-657.
- Shenoy, K., and Crowley, P.H. 2011. Endocrine disruption of male mating signals: ecological and evolutionary implications. Functional Ecology **25**(3): 433-448. doi:doi: 10.1111/j.1365-2435.2010.01787.x.
- Sild, E., Sepp, T., M., M., and Hõrak, P. 2011. Carotenoid intake does not affect immune-stimulated oxidative burst in greenfinches. Journal of Experimental Biology **214**: 3467-3473.
- Stephen, I.D., Coetzee, V., and Perrett, D.I. 2011. Carotenoid and melanin pigment coloration affect perceived human health. Evolution and Human Behavior **32**(3): 216-227.
- (260)** Svensson, P.A., and Wong, B.B.M. 2011. Carotenoid-based signals in behavioural ecology: a review. Behaviour **148**(2): 131-189.
- Vinkler, M., Svobodova, J., Marsik, P., and Albrecht, T. 2011. Carotenoids and health signalling in animals. *In* Carotenoids: Properties, Effects and Diseases. Edited by M. Yamaguchi. Nova Science Publishers, Inc. pp. 189-234.
- Weiss, S.L., Kennedy, W.A., Safran, R., J., and McGraw, K.J. 2011. Pterin-based ornamental coloration predicts yolk antioxidant levels in female striped plateau lizards (*Sceloporus virgatus*). Journal of Animal Ecology **80**(3): 519-527.
- Zhang, W., Zhang, K.Y., Ding, X.M., Bai, S.P., Hernandez, J.M., Yao, B., and Zhu, Q. 2011a. La cantaxantina, un carotenoide que puede mejorar el estado antioxidante de reproductoras y su progenie. Selecciones Avícolas **53**(10): 26-27.
- Zhang, W., Zhang, K.Y., Ding, X.M., Bai, S.P., Hernandez, J.M., Yao, B., and Zhu, Q. 2011b. Influence of canthaxanthin on broiler breeder reproduction, chick quality, and performance. Poultry Science **90**: 1516-1522. doi:10.3382/ps.2010-01126.
- Ardia, D.R., Broughton, D.R., and Gleicher, M.J. 2010. Short-term exposure to testosterone propionate leads to rapid bill color and dominance changes in zebra finches. Hormones and Behavior **58**(3): 526-532.
- Biard, C., Saulnier, N., Gaillard, M., and Moreau, J. 2010. Carotenoid-based bill colour is an integrative signal of multiple parasite infection in blackbird. Naturwissenschaften **97**(11): 987-995.
- Costantini, D., Rowe, M., Butler, M.W., and McGraw, K.J. 2010. From molecules to living systems: historical and contemporary issues in oxidative stress and antioxidant ecology. Functional Ecology **24**(5): 950-959. doi:10.1111/j.1365-2435.2010.01746.x.
- Cote, J., Arnoux, E., Sorci, G., Gaillard, M., and Faivre, B. 2010. Age-dependent allocation of carotenoids to coloration versus antioxidant defences. Journal of Experimental Biology **213**(2): 271-277. doi:10.1242/jeb.035188.

- Dattelbaum, J.D., Sieg, D., Manieri, C.M., Thomson, G., and Hill, M. 2010. Plasticity of acquired secondary metabolites in *Clathria prolifera* (Demospongia: Poecilosclerida): putative photoprotective role of carotenoids in a temperate intertidal sponge. Open Marine Biology Journal **4**: 87-95.
- (250)** del Cerro, S., Merino, S., Martínez-de la Puente, J., Lobato, E., Ruiz-de-Castañeda, R., Rivero-de Aguilar, J., Martínez, J., Morales, J., Tomás, G., and Moreno, J. 2010. Carotenoid-based plumage colouration is associated with blood parasite richness and stress protein levels in blue tits (*Cyanistes caeruleus*). Oecologia **162**(4): 825-835.
- Dugas, M.B. 2010. Nestling birds put their best flange forward. Journal of Avian Biology **41**(3): 336-341.
- Dunn, P.O., Garvin, J.C., Whittingham, L.A., Freeman-Gallant, C.R., and Hasselquist, D. 2010. Carotenoid and melanin-based ornaments signal similar aspects of male quality in two populations of the common yellowthroat. Functional Ecology **24**(1): 149-158.
- Edler, A.U., and Friedl, T.W.P. 2010a. Individual quality and carotenoid-based plumage ornaments in male red bishops (*Euplectes orix*): plumage is not all that counts. Biological Journal of the Linnean Society **99**: 384-397.
- Edler, A.U., and Friedl, T.W.P. 2010b. Plumage colouration, age, testosterone and dominance in male red bishops (*Euplectes orix*): a laboratory experiment. Ethology **116**(9): 806-820.
- Garner, S.R., Neff, B.D., and Bernards, M.A. 2010. Dietary carotenoid levels affect carotenoid and retinoid allocation in female Chinook salmon *Oncorhynchus tshawytscha*. Journal of Fish Biology **76**: 1474-1790.
- Giraudeau, M., Duval, C., Czirják, G.A., Bretagnolle, V., Eraud, C., McGraw, K.J., and Heeb, P. 2010. Maternal investment of female mallards is influenced by male carotenoid-based coloration. Proceedings of the Royal Society B **278**(1706): 781-788.
- Glabach, A., Glabach, D.J., Kempnaers, B., and Quillfeldt, P. 2010a. Female-specific colouration, carotenoids and reproductive investment in a dichromatic species, the upland goose *Chloephaga picta leucoptera*. Behavioral Ecology and Sociobiology **64**(11): 1779-1789.
- Glabach, A., Glabach, D.J., and Quillfeldt, P. 2010b. Variations in leucocyte profiles and plasma biochemistry are related to different aspects of parental investment in male and female Upland geese *Chloephaga picta leucoptera*. Comparative Biochemistry and Physiology, Part A **156**(2): 269-277.
- Grether, G.F. 2010. The evolution of mate preferences, sensory biases, and indicator traits. *Edited by H. J. Brockmann, T. J. Roper, M. Naguib, K. Wynne-Edwards, J. C. Mitani, and L. W. Simmons.* pp. 35-76.
- (240)** Griggio, M., Hoi, H., and Pilastro, A. 2010a. Plumage maintenance affects ultraviolet colour and female preference in the budgerigar. Behavioural Processes **84**(3): 739-744.
- Griggio, M., Zanollo, V., and Hoi, H. 2010b. UV plumage color is an honest signal of quality in male budgerigars. Ecological Research **25**(1): 1410-1703.
- Hörak, P., Sild, E., Soomets, U., Sepp, T., and Kilk, K. 2010. Oxidative stress and information content of black and yellow plumage coloration: an experiment with greenfinches. Journal of Experimental Biology **213**(13): 2225-2233.
- Huggins, K.A., Navara, K.J., Mendonça, M.T., and Hill, G.E. 2010. Detrimental effects of carotenoid pigments: the dark side of bright coloration. Naturwissenschaften **97**(7): 637-644.
- Kekäläinen, J., Valkama, H., Huuskonen, H., and Taskinen, J. 2010. Multiple sexual ornamentation signals male quality and predicts female preference in minnows. Ethology **116**(10): 895-903.
- Lindstedt, C., Morehouse, N., Pakkanen, H., Casas, J., Christides, J.P., Kemppainen, K., Lindstrom, L., and Mappes, J. 2010. Characterizing the pigment composition of a variable warning signal of *Parasemia plantaginis* larvae. Functional Ecology **24**(4): 759-766. doi:10.1111/j.1365-2435.2010.01686.x.
- Martínez-Padilla, J., Mougeot, F., Webster, L.M.I., Pérez-Rodríguez, L., and Pieltney, S.B. 2010. Testing the interactive effects of testosterone and parasites on carotenoid-based ornamentation in a wild bird. Journal of Evolutionary Biology **23**(5): 902-913.
- Mougeot, F., Martínez-Padilla, J., Blount, J.D., Pérez-Rodríguez, L., Webster, L.M.I., and Pieltney, S.B. 2010a. Oxidative stress and the effect of parasites on a carotenoid-based ornament. Journal of Experimental Biology **213**(3): 400-407.

- Mougeot, F., Martínez-Padilla, J., Bortolotti, G.R., Webster, L.M.I., and Piertney, S.B. 2010b. Physiological stress links parasites to carotenoid-based colour signals. Journal of Evolutionary Biology **23**(3): 643-650.
- Navarro, C., Pérez-Contreras, T., Avilés, J.M., McGraw, K.J., and Soler, J.J. 2010. Beak colour reflects circulating carotenoid and vitamin A levels in spotless starlings (*Sturnus unicolor*). Behavioral Ecology and Sociobiology **64**(7): 1057-1067.
- (230)** Pérez-Rodríguez, L., Mougeot, F., and Alonso-Alvarez, C. 2010. Carotenoid-based coloration predicts resistance to oxidative damage during immune challenge. Journal of Experimental Biology **213**(10): 1685-1690.
- Pérez, C., Lores, M., and Velando, A. 2010. Oil pollution increases plasma antioxidants but reduces coloration in a seabird. Oecologia **163**(4): 875-884.
- Prager, M., and Andersson, S. 2010. Convergent evolution of red carotenoid coloration in widowbirds and bishops (*Euplectes spp.*). Evolution **64**(12,): 3609-3619.
- Rémy, A., Grégoire, A., Perret, P., and Doutrelant, C. 2010. Mediating male-male interactions: The role of the UV blue crest coloration in blue tits. Behavioral Ecology and Sociobiology **64**(11): 1839-1847.
- Sternalski, A., Mougeot, F., Eraud, C., Gangloff, B., Villers, A., and Bretagnolle, V. 2010. Carotenoids in nestling Montagu's harriers: variations according to age, sex, body condition and evidence for diet-related limitations. Journal of Comparative Physiology, Part B **180**(1): 33-43.
- Toomey, M.B., Butler, M.W., and McGraw, K.J. 2010. Immune-system activation depletes retinal carotenoids in house finches (*Carpodacus mexicanus*). Journal of Experimental Biology **213**(10): 1709-1716.
- Torres, R., and Velando, A. 2010. Color in a long-lived tropical seabird. sexual selection in a life-history context. *In* Behavioral Ecology of Tropical Animals. Edited by R. Macedo. Eslevier Science, New York. pp. 155-188.
- Veuille, M. 2010. Darwin and sexual selection: one hundred years of misunderstanding. Comptes Rendus - Biologies **333**(2): 145-156.
- Vinkler, M., and Albrecht, T. 2010. Carotenoid maintenance handicap and the physiology of carotenoid-based signalisation of health. Naturwissenschaften **97**(1): 19-28.
- Alonso-Alvarez, C., Pérez-Rodríguez, L., Garcia, J.T., and Viñuela, J. 2009. Testosterone-mediated trade-offs in the old age: a new approach to the immunocompetence handicap and carotenoid-based sexual signalling. Proceedings of the Royal Society B **276**(1664): 2093-2101. doi:10.1098/rspb.2008.1891.
- (220)** Biard, C., Gil, D., Karadaş, F., Saino, N., Spottiswoode, C.N., Surai, P.F., and Møller, A.P. 2009a. Maternal effects mediated by antioxidants and the evolution of carotenoid-based signals in birds. American Naturalist **174**(5): 696-708.
- Biard, C., Hardy, C., Motreuil, S., and Moreau, J. 2009b. Dynamics of PHA-induced immune response and plasma carotenoids in birds: should we have a closer look? Journal of Experimental Biology **212**(9): 1336-1343. doi:10.1242/jeb.028449.
- Bonato, M., Evans, M.R., Hasselquist, D., and Cherry, M.I. 2009. Male coloration reveals different components of immunocompetence in ostriches, *Struthio camelus*. Animal Behaviour **77**(5): 1033-1039. doi:10.1016/j.anbehav.2009.02.008.
- David, P., and Heeb, P. 2009. Parasites and sexual selection. *In* Ecology and evolution of parasitism. Edited by F. Thomas, J-F. Guégan, and F. Renaud. Oxford University Press, Oxford. p. 31-48.
- Galván, I., Díaz, L., and Sanz, J.J. 2009. Relationships between territory quality and carotenoid-based plumage colour, cell-mediated immune response, and body mass in Great Tit *Parus major* nestlings. Acta Ornithologica **44**(2): 139-150.
- Geens, A., Dauwe, T., and Eens, M. 2009. Does anthropogenic metal pollution affect carotenoid colouration, antioxidative capacity and physiological condition of great tits (*Parus major*)? Comparative Biochemistry and Physiology, Part C **150**(2): 155-163.
- Gomez, D., Richardson, C., Lengagne, T., Plenet, S., Joly, P., Léna, J.P., and Théry, M. 2009. The role of nocturnal vision in mate choice: females prefer conspicuous males in the European tree frog (*Hyla arborea*). Proceedings of the Royal Society B **276**(1666): 2351-2358. doi:10.1098/rspb.2009.0168.

- Griggio, M., Morosinotto, C., and Pilastro, A. 2009a. Nestlings' carotenoid feather ornament affects parental allocation strategy and reduces maternal survival. Journal of Evolutionary Biology **22**(10): 2077-2085.
- Griggio, M., Serra, L., Licheri, D., Campomori, C., and Pilastro, A. 2009b. Molt speed affects structural feather ornaments in the blue tit. Journal of Evolutionary Biology **22**(4): 782-792. doi:10.1111/j.1420-9101.2009.01700.x.
- Hill, G.E., Hood, W.R., and Huggins, K. 2009. A multifactorial test of the effects of carotenoid access, food intake and parasite load on the production of ornamental feathers and bill coloration in American goldfinches. Journal of Experimental Biology **212**(8): 1225-1233. doi:10.1242/jeb.026963.
- (210)** Kappes, P.J., Stutchbury, B.J.M., and Woolfenden, B.E. 2009. The relationship between carotenoid-based coloration and pairing, within- and extra-pair mating success in the American redstart. Condor **111**(4): 684-693. doi:10.1525/cond.2009.090095.
- Lindström, J., Pike, T.W., Blount, J.D., and Metcalfe, N.B. 2009. Optimization of resource allocation can explain the temporal dynamics and honesty of sexual signals. American Naturalist **174**(4): 515-525.
- Monaghan, P., Metcalfe, N.B., and Torres, R. 2009. Oxidative stress as a mediator of life history trade-offs: mechanisms, measurements and interpretation. Ecology Letters **12**(1): 75-92.
- Morales, J., Velando, A., and Torres, R. 2009. Fecundity compromises attractiveness when pigments are scarce. Behavioral Ecology **20**(1): 117-123.
- Mougeot, F., Pérez-Rodríguez, L., Sumozas, N., and Terraupe, J. 2009. Parasites, condition, immune responsiveness and carotenoid-based ornamentation in male red-legged partridge *Alectoris rufa*. Journal of Avian Biology **40**(1): 67-74.
- Pérez-Rodríguez, L. 2009. Carotenoids in evolutionary ecology: re-evaluating the antioxidant role. BioEssays **31** (10): 1116-1126.
- Prager, M., Johansson, E.I.A., and Andersson, S. 2009. Differential ability of carotenoid C4-oxygenation in yellow and red bishop species (*Euplectes spp.*). Comparative Biochemistry and Physiology, Part B **154**(4): 373-380.
- Sadd, B.M., and Schmid-Hempel, P. 2009. Principles of ecological immunology. Evolutionary Applications **2**(1): 113-121. doi:10.1111/j.1752-4571.2008.00057.x.
- Sánchez, M.I., Hortas, F., Figuerola, J., and Green, A.J. 2009. Sandpipers select red brine shrimps rich in both carotenoids and parasites. Ethology **115**(2): 196-200.
- Sorci, G., and Faivre, B. 2009. Inflammation and oxidative stress in vertebrate host-parasite systems. Philosophical Transactions of the Royal Society B **364**(1513): 71-83.
- (200)** Stirnemann, I., Johnston, G., Rich, B., Robertson, J., and Kleindorfer, S. 2009. Phytohaemagglutinin (PHA) response and bill-hue wavelength increase with carotenoid supplementation in Diamond Firetails (*Stagonopleura guttata*). Emu **109**(4): 344-351.
- Svensson, P.A., Pélabon, C., Blount, J.D., Forsgren, E., Bjerkeng, B., and Amundsen, T. 2009. Temporal variability in a multicomponent trait: nuptial coloration of female two-spotted gobies. Behavioral Ecology **20**(2): 346-353. doi:10.1093/beheco/arn154.
- Tanvez, A., Amy, M., Chastel, O., and Leboucher, G. 2009. Maternal effects and β -carotene assimilation in Canary chicks. Physiology and Behavior **96**(3): 389-393.
- Toomey, M.B., and McGraw, K.J. 2009. Seasonal, sexual, and quality related variation in retinal carotenoid accumulation in the house finch (*Carpodacus mexicanus*). Functional Ecology **23**(2): 321-329. doi:10.1111/j.1365-2435.2008.01498.x.
- van Dongen, W.F.D., and Mulder, R.A. 2009. Multiple ornamentation, female breeding synchrony, and extra-pair mating success of golden whistlers (*Pachycephala pectoralis*). Journal of Ornithology **150**(3): 607-620. doi:10.1007/s10336-009-0371-9.
- Baeta, R., Faivre, B., Motreuil, S., Gaillard, M., and Moreau, J. 2008. Carotenoid trade-off between parasitic resistance and sexual display: an experimental study in the blackbird (*Turdus merula*). Proceedings of the Royal Society B **275**(1633): 427-434. doi:9888436W881X3747 [pii]10.1098/rspb.2007.1383.
- Blount, J.D., and McGraw, K. 2008. Signal functions of carotenoids. In Carotenoids. Volume 4: Natural Functions. Edited by G. Britton, S. Liaaen-Jensen, and H. Pfander. Springer, Berlin. pp. 213-236.

- Buehler, D.M., and Piersma, T. 2008. Travelling on a budget: predictions and ecological evidence for bottlenecks in the annual cycle of long-distance migrants. Philosophical Transactions of the Royal Society B **363**(490): 247-266.
- Costantini, D. 2008. Oxidative stress in ecology and evolution: lessons from avian studies. Ecology Letters **11**(11): 1238-1251.
- De Neve, L., Fargallo, J.A., Vergara, P., Lemus, J.A., Jaren-Galan, M., and Luaces, I. 2008. Effects of maternal carotenoid availability in relation to sex, parasite infection and health status of nestling kestrels (*Falco tinnunculus*). Journal of Experimental Biology **211**(9): 1414-1425. doi:10.1242/jeb.014290.
- (190)** Doutrelant, C., Gregoire, A., Grnac, N., Gomez, D., Lambrechts, M.M., and Perret, P. 2008. Female coloration indicates female reproductive capacity in blue tits. Journal of Evolutionary Biology **21**(1): 226-233.
- Gautier, P., Barroca, M., Bertrand, S., Eraud, C., Gaillard, M., Hamman, M., Motreuil, S., Sorci, G., and Faivre, B. 2008. The presence of females modulates the expression of a carotenoid-based sexual signal. Behavioral Ecology and Sociobiology **62**(7): 1159-1166.
- Isaksson, C., and Andersson, S. 2008. Oxidative stress does not influence carotenoid mobilization and plumage pigmentation. Proceedings of the Royal Society B **275**(1632): 309-314. doi:10.1098/rspb.2007.1474.
- Juola, F.A., McGraw, K., and Dearborn, D.C. 2008. Carotenoids and throat pouch coloration in the great frigatebird (*Fregata minor*). Comparative Biochemistry and Physiology, Part B **149**(2): 370-377.
- Karu, U., Saks, L., and Horak, P. 2008. Carotenoid-based plumage coloration is not affected by vitamin E supplementation in male greenfinches. Ecological Research **23**(6): 931-935. doi:10.1007/s11284-007-0457-x.
- Laaksonen, T., Negro, J.J., Lyytinen, S., Valkama, J., Ots, I., and Korpimäki, E. 2008. Effects of experimental brood size manipulation and gender on carotenoid levels of Eurasian kestrels *Falco tinnunculus*. PLoS One **3**(6): e2374. doi:10.1371/journal.pone.0002374.
- Maan, M.E., Van Rooijen, A.M.C., Van Alphen, J.J.M., and Seehausen, O. 2008. Parasite-mediated sexual selection and species divergence in Lake Victoria cichlid fish. Biological Journal of the Linnean Society **94**(1): 53-60.
- Pérez-Rodríguez, L., Mougeot, F., Alonso-Alvarez, C., Blas, J., Viñuela, J., and Bortolotti, G.R. 2008. Cell-mediated immune activation rapidly decreases plasma carotenoids but does not affect oxidative stress in red-legged partridges (*Alectoris rufa*). Journal of Experimental Biology **211**(13): 2155-2161.
- Pérez-Rodríguez, L., and Viñuela, J. 2008. Carotenoid-based bill and eye ring coloration as honest signals of condition: an experimental test in the red-legged partridge (*Alectoris rufa*). Naturwissenschaften **95**(9): 821-830. doi:10.1007/s00114-008-0389-5.
- Pérez, C., Lores, M., and Velando, A. 2008. Availability of nonpigmentary antioxidant affects red coloration in gulls. Behavioral Ecology **19**(5): 967-973.
- (180)** Pizzolon, M., Rasotto, M.B., and Mazzoldi, C. 2008. Male lagoon gobies, *Knipowitschia panizzae*, prefer more ornamented to larger females. Behavioral Ecology and Sociobiology **62**(4): 521-528.
- Rowe, M., and McGraw, K. 2008. Carotenoids in the seminal fluid of wild birds: interspecific variation in fairy-wrens. Condor **110**(4): 694-700.
- Zuk, M. 2008. Riddled with Life: Friendly Worms, Ladybug Sex, and the Parasites That Make Us Who We Are. Houghton Mifflin Harcourt.
- Aguilera, E., and Amat, J.A. 2007. Carotenoids, immune response and the expression of sexual ornaments in male greenfinches (*Carduelis chloris*). Naturwissenschaften **94**(11): 895-902.
- Andersson, S., Prager, M., and Johansson, E.I.A. 2007. Carotenoid content and reflectance of yellow and red nuptial plumages in widowbirds (*Euplectes spp.*). Functional Ecology **21**(2): 272-281.
- Boughman, J.W. 2007. Condition-dependent expression of red colour differs between stickleback species. Journal of Evolutionary Biology **20**(4): 1577-1590.
- Clotfelter, E.D., Ardia, D.R., and McGraw, K.J. 2007. Red fish, blue fish: trade-offs between pigmentation and immunity in *Betta splendens*. Behavioral Ecology **18**(6): 1139-1145.

- Costantini, D., Coluzza, C., Fanfani, A., and Dell'Omo, G. 2007. Effects of carotenoid supplementation on colour expression, oxidative stress and body mass of rehabilitated captive adult kestrels (*Falco tinnunculus*). Journal of Comparative Physiology, Part B **177**(7): 723-731.
- Dijkstra, P.D., Hekman, R., Schulz, R.W., and Groothuis, T.G.G. 2007. Social stimulation, nuptial colouration, androgens and immunocompetence in a sexual dimorphic cichlid fish. Behavioral Ecology and Sociobiology **61**(4): 599-609.
- Eraud, C., Devevey, G., Gaillard, M., Prost, J., Sorci, G., and Faivre, B. 2007. Environmental stress affects the expression of a carotenoid-based sexual trait in male zebra finches. Journal of Experimental Biology **210**(20): 3571-3578.
- (170)** Griggio, M., Serra, L., Licheri, D., Monti, A., and Pilastro, A. 2007. Armaments and ornaments in the rock sparrow: a possible dual utility of a carotenoid-based feather signal. Behavioral Ecology and Sociobiology **61**(3): 423-433.
- Hartley, I.R. 2007. Sexual dimorphism. *In* Reproductive biology and phylogeny of birds, Part B: Sexual Selection, Behavior, Conservation, Embryology and Genetics. *Edited by* B. G. M. Jamieson. Science Publishers Inc., Enfield. pp. 121-141.
- Hörak, P., Saks, L., Zilmer, M., Karu, U., and Zilmer, K. 2007. Do dietary antioxidants alleviate the cost of immune activation? An experiment with greenfinches. American Naturalist **170**(4): 625-635.
- Isaksson, C., and Andersson, S. 2007. Carotenoid diet and nestling provisioning in urban and rural great tits *Parus major*. Journal of Avian Biology **38**(5): 564-572.
- Isaksson, C., McLaughlin, P., Monaghan, P., and Andersson, S. 2007a. Carotenoid pigmentation does not reflect total non-enzymatic antioxidant activity in plasma of adult and nestling great tits, *Parus major*. Functional Ecology **21**(6): 1123-1129.
- Isaksson, C., Von Post, M., and Andersson, S. 2007b. Sexual, seasonal, and environmental variation in plasma carotenoids in great tits, *Parus major*. Biological Journal of the Linnean Society **92**(3): 521-527.
- Jouventin, P., McGraw, K.J., Morel, M., and Célerier, A. 2007. Dietary carotenoid supplementation affects orange beak but not foot coloration in Gentoo Penguins *Pygoscelis papua*. Waterbirds **30**(4): 573-578.
- Karino, K., and Shinjo, S. 2007. Relationship between algal-foraging ability and expression of sexually selected traits in male guppies. Zoological Science **24**(6): 571-576.
- Karino, K., Shinjo, S., and Sato, A. 2007. Algal-searching ability in laboratory experiments reflects orange spot coloration of the male guppy in the wild. Behaviour **144**(1): 101-113.
- Karu, U., Saks, L., and Hörak, P. 2007. Carotenoid coloration in greenfinches is individually consistent irrespective of foraging ability. Physiological and Biochemical Zoology **80**(6): 663-670.
- (160)** Kurtz, J., Kalbe, M., Langefors, A., Mayer, I., Milinski, M., and Hasselquist, D. 2007. An experimental test of the immunocompetence handicap hypothesis in a teleost fish: 11-Ketotestosterone suppresses innate immunity in three-spined sticklebacks. American Naturalist **170**(4): 509-519.
- Martínez-Padilla, J., Mougeot, F., Pérez-Rodríguez, L., and Bortolotti, G.R. 2007. Nematode parasites reduce carotenoid-based signalling in male red grouse. Biology Letters **3**: 137-142.
- McGraw, K.J. 2007. Dietary mineral content influences the expression of melanin-based ornamental coloration. Behavioral Ecology **18**(1): 137-142.
- McGraw, K.J., Medina-Jerez, W., and Adams, H. 2007. Carotenoid-based plumage coloration and aggression during molt in male house finches. Behaviour **144**(2): 165-178.
- Mougeot, F., Pérez-Rodríguez, L., Martínez-Padilla, J., Leckie, F., and Redpath, S.M. 2007. Parasites, testosterone and honest carotenoid-based signalling of health. Functional Ecology **21**(5): 886-898.
- Norris, D.R., Marra, P.P., Kyser, T.K., Ratcliffe, L.M., and Montgomerie, R. 2007. Continent-wide variation in feather colour of a migratory songbird in relation to body condition and moulting locality. Biology Letters **3**: 16-19.
- Pérez-Rodríguez, L., Alonso-Alvarez, C., and Viñuela, J. 2007. Repeated sampling but not sampling hour affects plasma carotenoid levels. Physiological and Biochemical Zoology **80**(2): 250-254.
- Pike, T.W., Blount, J.D., Bjerkeng, B., Lindström, J., and Metcalfe, N.B. 2007a. Carotenoids, oxidative stress and female mating preference for longer lived males. Proceedings of the Royal Society B **274**(1618): 1591-1596.

- Pike, T.W., Blount, J.D., Lindström, J., and Metcalfe, N.B. 2007b. Dietary carotenoid availability influences a male's ability to provide parental care. Behavioral Ecology **18**(6): 1100-1105.
- Pike, T.W., Blount, J.D., Lindström, J., and Metcalfe, N.B. 2007. Availability of non-carotenoid antioxidants affects the expression of a carotenoid-based sexual ornament. Biology Letters **3**: 353-356.
- (150)** Sandre, S.L., Tammaru, T., Esperk, T., Julkunen-Tiitto, R., and Mappes, J. 2007. Carotenoid-based colour polyphenism in a moth species: search for fitness correlates. Entomologia Experimentalis et Applicata **124**(3): 269-277.
- Serra, L., Griggio, M., Licheri, D., and Pilastro, A. 2007. Molt speed constrains the expression of a carotenoid-based sexual ornament. Journal of Evolutionary Biology **20**(5): 2028-2034.
- Smith, H.G., Råberg, L., Ohlsson, T., Granbom, M., and Hasselquist, D. 2007. Carotenoid and protein supplementation have differential effects on pheasant ornamentation and immunity. Journal of Evolutionary Biology **20**(1): 310-319.
- Arriero, E., and Fargallo, J.A. 2006. Habitat structure is associated with the expression of carotenoid-based coloration in nestling blue tits *Parus caeruleus*. Naturwissenschaften **93**(4): 173-180.
- Basolo, A.L. 2006. Genetic linkage and color polymorphism in the southern platyfish (*Xiphophorus maculatus*): a model system for studies of color pattern evolution. Zebrafish **3**(1): 65-83.
- Bertrand, S., Alonso-Alvarez, C., Devevey, G., Faivre, B., Prost, J., and Sorci, G. 2006a. Carotenoids modulate the trade-off between egg production and resistance to oxidative stress in zebra finches. Oecologia **147**: 576-584.
- Bertrand, S., Faivre, B., and Sorci, G. 2006b. Do carotenoid-based sexual traits signal the availability of non-pigmentary antioxidants? Journal of Experimental Biology **209**: 4414-4419.
- Blount, J.D., and Matheson, S.M. 2006. Effects of carotenoid supply on escape flight responses in zebra finches, *Taeniopygia guttata*. Animal Behaviour **72**: 595-601.
- Costantini, D., and Dell'Omo, G. 2006. Effects of T-cell-mediated immune response on avian oxidative stress. Comparative Biochemistry and Physiology, Part A **145**: 137-142.
- Cucco, M., Guasco, B., Malacarne, G., and Ottonelli, R. 2006. Effects of β -carotene supplementation on chick growth, immune status and behaviour in the grey partridge, *Perdix perdix*. Behavioural Processes **73**: 325-332.
- (140)** Dawson, R.D., and Bortolotti, G.R. 2006. Carotenoid-dependent coloration of male American kestrels predicts ability to reduce parasitic infections. Naturwissenschaften **93**(12): 597-602. doi:10.1007/s00114-006-0146-6.
- Dowling, D.K., and Mulder, R.A. 2006. Red plumage and its association with reproductive success in red-capped robins. Annales Zoologici Fennici **43**: 311-321.
- Hadfield, J.D., and Owens, I.P.F. 2006. Strong environmental determination of a carotenoid-based plumage trait is not mediated by carotenoid availability. Journal of Evolutionary Biology **19**: 1104-1114.
- Heath, J.A., and Frederick, P.C. 2006. White Ibis integument color during the breeding season. Journal of Field Ornithology **77**: 141-150.
- Hörak, P., Saks, L., Karu, T., and Ots, I. 2006a. Host resistance and parasite virulence in greenfinch coccidiosis. Journal of Evolutionary Biology **19**: 277-288.
- Hörak, P., Zilmer, M., Saks, L., Ots, I., Karu, U., and Zilmer, K. 2006b. Antioxidant protection, carotenoids, and the costs of immune challenge in greenfinches. Journal of Experimental Biology **209**: 4329-4338.
- Karadas, F., Surai, P., Grammenidis, E., Sparks, N.H.C., and Acamovic, T. 2006. Supplementation of the maternal diet with tomato powder and marigold extract: effects on the antioxidant system of the developing quail. British Poultry Science **47**: 200-208.
- Kilner, R.M. 2006. Function and evolution of color in young birds. In *Avian Coloration Volume II: function and evolution*. Edited by G. E. Hill, and K. J. McGraw. Harvard University Press, Cambridge, MA. pp. 201-232.
- Kolluru, G.R., Grether, G.F., South, S.H., Dunlop, E., Cardinalu, A., Liu, L., and Carapiet, A. 2006a. The effects of carotenoid and food availability on resistance to a naturally occurring parasite (*Gyrodactylus turnbulli*) in guppies (*Poecilia reticulata*) (Carapiet, Andreh). Biological Journal of the Linnean Society **89**: 301-309.

- Kolluru, G.R., Grether, G.F., South, S.H., Dunlop, E., Cardinalu, A., Liu, L., and Carapiet, A. 2006b. The effects of carotenoid and food intake on caudal fin regeneration in male guppies. Journal of Fish Biology **68**: 1002-1012.
- (130) Kurtz, J., Wegner, K.M., Kalbe, M., Reusch, T.B.H., Schaschl, H., Hasselquist, D., and Milinski, M. 2006. MHC genes and oxidative stress in sticklebacks: an immuno-ecological approach. Proceedings of the Royal Society B **273**: 1407-1414.
- Maan, M.E., Van der Spoel, M., Jimenez, P.Q., Van Alphen, J.J.M., and Seehausen, O. 2006. Fitness correlates of male coloration in a Lake Victoria cichlid fish. Behavioral Ecology **17**: 691-699.
- McGraw, K.J. 2006a. Mechanisms of carotenoid based coloration. *In* Avian Coloration Volume I: mechanisms and measurements. *Edited by* G. E. Hill, and K. J. McGraw. Harvard University Press, Cambridge, MA.
- McGraw, K.J. 2006b. Dietary carotenoids mediate a trade-off between egg quantity and quality in Japanese quail. Ethology Ecology & Evolution **18**: 247-256.
- McGraw, K.J. 2006c. Mechanisms of melanin based coloration. *In* Avian Coloration Volume I: mechanisms and measurements. *Edited by* G. E. Hill, and K. J. McGraw. Harvard University Press, Cambridge, MA.
- McGraw, K.J., Crino, O.L., Medina-Jerez, W., and Nolan, P.M. 2006. Effect of dietary carotenoid supplementation on food intake and immune function in a songbird with no carotenoid coloration. Ethology **112**: : 1209-1216.
- McGraw, K.J., and Klasing, K.C. 2006. Carotenoids, immunity, and integumentary coloration in red junglefowl (*Gallus gallus*). Auk **123**: 1161-1171.
- Negro, J.J., Sarasola, J.H., Fariñas, F., and Zorrilla, I. 2006. Function and occurrence of facial flushing in birds. Comparative Biochemistry and Physiology, Part A **143**: 78-84.
- Olson, V.A. 2006. Estimating nutrient intake in comparative studies of animals: an example using dietary carotenoid content in birds. Oikos **112**: 620-628.
- Owens, I.P.F. 2006. Ecological explanations for interspecific variability in coloration. *In* Avian Coloration Volume II: Function and Evolution. *Edited by* G. E. Hill, and K. J. McGraw. Harvard University Press, Cambridge, MA. pp. 380-416.
- (120) Santos, S.I.C.O., Elward, B., and Lumeij, J.T. 2006. Sexual dichromatism in the blue-fronted amazon parrot (*Amazona aestiva*) revealed by multiple-angle spectrometry. Journal of Avian Medicine and Surgery **20**(1): 8-14.
- Tummeleht, L., Magi, M., Kilgas, P., Mänd, R., and Hõrak, P. 2006. Antioxidant protection and plasma carotenoids of incubating great tits (*Parus major* L.) in relation to health state and breeding conditions. Comparative Biochemistry and Physiology, Part C **144**: 166-172
- Václav, R. 2006. Within-male melanin-based plumage and bill elaboration in male house sparrows Zoological Science **23**: 1073-1078.
- Velando, A., Beamonte-Barrientos, R., and Torres, R. 2006. Pigment-based skin colour in the blue-footed booby: an honest signal of current condition used by females to adjust reproductive investment. Oecologia **149**: 535-542.
- Alvarez, F., Sánchez, C., and Angulo, S. 2005. The frontal shield of the moorhen: sex differences and relationship with body condition. Ethology Ecology & Evolution **17**: 135-148.
- Cassey, P., Ewen, J.G., Boulton, R.L., Blackburn, T.M., Møller, A.P., Biard, C., Olson, V., and Karadas, F. 2005. Egg carotenoids in passerine birds introduced to New Zealand: relations to ecological factors, integument coloration and phylogeny. Functional Ecology **19**(4): 719-726.
- Crisuolo, F., Gonzalez-Barroso, M.D., Bouillaud, F., Ricquier, D., Miroux, B., and Sorci, G. 2005. Mitochondrial uncoupling proteins: new perspectives for evolutionary ecologists. American Naturalist **166**(6): 686-699
- Figuerola, J., Torres, J., Garrido, J., Green, A., and Negro, J.J. 2005. Do carotenoids and spleen size vary with helminth load in greylag geese? . Canadian Journal of Zoology **83**: 389-395.
- Grether, G.F., Kolluru, G.R., Rodd, F.H., de la Cerda, J., and Shimazaki, K. 2005. Carotenoid availability affects the development of a colour-based mate preference and the sensory bias to which it is genetically linked. Proceedings of the Royal Society B **272**(1577): 2181-2188.
doi:W5311627PL36730J [pii]10.1098/rspb.2005.3197.

- Hill, G.E., and Farmer, K.L. 2005. Carotenoid-based plumage coloration predicts resistance to a novel parasite in the house finch. Naturwissenschaften **92**(1): 30-34. doi:10.1007/s00114-004-0582-0.
- (110) Karino, K., Utagawa, T., and Shinjo, S. 2005. Heritability of the algal-foraging ability: an indirect benefit of female mate preference for males' carotenoid-based coloration in the guppy, *Poecilia reticulata*. Behavioral Ecology and Sociobiology **59**(1): 1-5.
- Magurran, A.E. 2005. *Evolutionary Ecology: The Trinidadian Guppy*. Oxford University Press, Oxford.
- McGraw, K. 2005. The antioxidant function of many animal pigments: are there consistent health benefits of sexually selected colorants? Animal Behaviour **69**: 575-564.
- McGraw, K.J., and Ardia, D.R. 2005. Sex differences in carotenoid status and immune performance in zebra finches. Evolutionary Ecology Research **7**: 251-262.
- Olson, V.A., and Owens, I.P.F. 2005. Interspecific variation in the use of carotenoid-based coloration in birds: diet, life history and phylogeny. Journal of Evolutionary Biology **18**(6): 1534-1546.
- Préault, M., Chastel, O., Cézilly, F., and Faivre, M. 2005. Male bill colour and age are associated with parental abilities and breeding performance in blackbirds. Behavioral Ecology and Sociobiology **58**(5): 497-505.
- Rutowski, R.L., Macedonia, J.M., Morehouse, N., and Taylor-Taft, L. 2005. Pterin pigments amplify iridescent ultraviolet signal in males of the orange sulphur butterfly, *Colias eurytheme*. Proceedings of the Royal Society B **272**(1578): 2329-2335.
- Searcy, W.A., and Nowicki, S. 2005. *The evolution of animal communication: reliability and deception in signalling systems*. Princeton University Press, Princeton and Oxford.
- Torres, R., and Velando, A. 2005. Male preference for female foot colour in the socially monogamous blue-footed booby, *Sula nebouxii*. Animal Behaviour **69**: 59-65.
- Van der Veen, I.T. 2005. Costly carotenoids: a trade-off between predation and infection risk? Journal of Evolutionary Biology **18**: 992-999.
- (100) Van Oort, H., and Dawson, R.D. 2005. Carotenoid ornamentation of adult male Common Redpolls predicts probability of dying in a salmonellosis outbreak. Functional Ecology **19**(5): 822-827.
- Velando, A., Torres, R., and Espinosa, I. 2005. Male coloration and chick condition in blue-footed booby: a cross-fostering experiment Behavioral Ecology and Sociobiology **58**: 175-180.
- Alonso-Alvarez, C., Bertrand, S., Devevey, G., Gaillard, M., Prost, J., Faivre, B., and Sorci, G. 2004. An experimental test of the dose-dependent effect of carotenoids and immune activation on sexual signals and antioxidant activity. American Naturalist **164**: 651-659.
- Badyaev, A.V. 2004. Developmental perspective on the evolution of sexual ornaments. Evolutionary Ecology Research **6**: 975-991.
- Blount, J.D. 2004. Carotenoids and life-history evolution in animals. Archives of Biochemistry and Biophysics **430**: 10-15.
- Bright, A., Waas, J.R., King, C.M., and Cuning, P.D. 2004. Bill colour and correlates of male quality in blackbirds: an analysis using canonical ordination. Behavioural Processes **65**: 123-132.
- Fenoglio, S., Cucco, M., Fracchia, L., Martinotti, M.G., and Malacarne, G. 2004. Shield colours of the Moorhen are differently related to bacterial presence and health parameters. Ethology Ecology & Evolution **16**: 171-180.
- Gaillard, M., Juillet, C., Cézilly, F., and Perrot-Minnot, M.-J. 2004. Carotenoids of two freshwater amphipod species (*Gammarus pulex* and *G. roeseli*) and their common acanthocephalan parasite *Polymorphus minutus*. Comparative Biochemistry and Physiology, Part B **139**: 129-136.
- Grande, J.M., Negro, J.J., and Torres, M.J. 2004. The evolution of bird plumage colouration: a role for feather-degrading bacteria? . Ardeola **51**: 375-383.
- Gregoire, A., Préault, M., Cézilly, F., Wood, M.J., Pradel, R., and Faivre, B. 2004. Stabilizing natural selection on the early expression of a secondary sexual trait in a passerine bird. Journal of Evolutionary Biology **17** (5): 1152-1156.
- (90) Grether, G.F., Kasahara, S., Kolluru, G.R., and Cooper, E.L. 2004a. Sex-specific effects of carotenoid intake on the immunological response to allografts in guppies (*Poecilia reticulata*). Proceedings of the Royal Society of London B **271**(1534): 45-49. doi:10.1098/rspb.2003.2526.
- Grether, G.F., Kolluru, G.R., and Nersissian, K. 2004b. Individual colour patches as multicomponent signals. Biological Reviews **79**: 583-610.

- Hill, G.E., Farmer, K.L., and Beck, M.L. 2004. The effects of mycoplasmosis on carotenoid plumage coloration in male house finches. Journal of Experimental Biology **207**: 2095-2099.
- Hörak, P., Saks, L., Karu, U., Ots, I., Surai, P.F., and McGraw, K.J. 2004a. How coccidian parasites affect health and appearance of greenfinches. Journal of Animal Ecology **73**: 935-947.
- Hörak, P., Surai, P.F., Ots, I., and Møller, A.P. 2004b. Fat soluble antioxidants in brood-rearing great tits *Parus major*: relations to health and appearance. Journal of Avian Biology **35**(1): 63-70.
- Karino, K., and Haijima, Y. 2004. Algal-diet enhances sexual ornament, growth and reproduction in the guppy. Behaviour **141**: 585-601.
- Kurtz, J., Kalbe, M., Aeschlimann, P.B., Häberli, M.A., Wegner, K.M., Reusch, T.B.H., and Milinski, M. 2004. Major histocompatibility complex diversity influences parasite resistance and innate immunity in sticklebacks. Proceedings of the Royal Society of London B **271**: 197-204.
- Lozano, G.A., and Lank, D. 2004. Immunocompetence and testosterone-induced condition traits in male ruffs (*Philomachus pugnax*). Animal Biology **54**(4): 315-329. doi:org/10.1163/1570756042729555.
- McGraw, K. 2004. Colorful songbirds metabolize carotenoids at the integument. Journal of Avian Biology **35**: 471-476.
- McGraw, K., Safran, R.J., Evans, M.R., and Wakamatsu, K. 2004. European barn swallows use melanin pigments to color their feathers brown. Behavioral Ecology **15**(5): 889-891. doi:10.1093/beheco/arh109.
- (80)** McGraw, K.J., and Ardia, D.R. 2004. Immunoregulatory activity of different dietary carotenoids in male zebra finches. Chemoecology **14**: 25-29.
- McGraw, K.J., and Nogare, M.C. 2004. Carotenoid pigments and the selectivity of psittacofulvin-based coloration systems in parrots. Comparative Biochemistry and Physiology, Part B **138**: 229-233.
- McGraw, K.J., and Schuetz, J.G. 2004. The evolution of carotenoid coloration in estrilid finches: a biochemical analysis. Comparative Biochemistry and Physiology, Part B **139**: 45-51.
- Moreno, J. 2004. Avian reproduction in a Mediterranean context: contribution of ornithological research in Spain. Ardeola **51**: 51-70.
- Ninni, P., de Lope, F., Saino, N., Haussy, C., and Møller, A.P. 2004. Antioxidants and condition-dependence of arrival date in a migratory passerine. Oikos **105**: 55-64.
- Peters, A., Delhey, K., Denk, A.G., and Kempenaers, B. 2004a. Trade-offs between immune investment and sexual signalling in male mallards. American Naturalist **164**: 51-59.
- Peters, A., Denk, A.G., Delhey, K., and Kempenaers, B. 2004b. Carotenoid-based bill colour as an indicator of immunocompetence and sperm performance in male mallards. Journal of Evolutionary Biology **17**(5): 1111-1120.
- Tella, J.L., Figuerola, J., Negro, J.J., Blanco, G., Rodríguez-Estrella, R., Forero, M.G., Green, A.J., and Hiraldo, F. 2004. Ecological, morphological and phylogenetic correlates of interspecific variation in plasma carotenoid concentration in birds. Journal of Evolutionary Biology **17**: 156-164.
- Blount, J.D., Metcalfe, N.B., Birkhead, T.R., and Surai, P.F. 2003. Carotenoid modulation of immune function and sexual attractiveness in zebra finches. Nature **300**: 125-127.
- Faivre, M., Prévault, M., Salvadori, F., Théry, M., Gaillard, M., and Cézilly, F. 2003. Bill colour and immunocompetence in the European blackbird. Animal Behaviour **65**: 1125-1131.
- (70)** Godin, J.-G., J., and McDonough, H.E. 2003. Predator preference for brightly colored males in the guppy: a viability cost for a sexually selected trait. Behavioral Ecology **14**: 194-200.
- Heindl, M., and Winkler, H. 2003. Female canaries (*Serinus canaria*) associate more with males that contrast strongly against the background. Ethology **109**: 259-271.
- Hörak, P., and Saks, L. 2003. Animal allure and health linked by plant pigments. BioEssays **25**(8): 746-747.
- Hudon, J., Grether, G.F., and Millie, D.F. 2003. Marginal differentiation between the sexual and general carotenoid pigmentation of guppies (*Poecilia reticulata*) and a possible visual explanation. Physiological and Biochemical Zoology **76**(6): 776-790.
- Jawor, J.M., and Breitwisch, R. 2003. Melanin ornaments, honesty, and sexual selection. Auk **120**(2): 249-265.
- Kurtz, J. 2003. Sex, parasites and resistance - an evolutionary approach. Zoology **106**: 327-339.
- Mahler, B., Araujo, L.S., and Tubaru, P.L. 2003. Dietary and sexual correlates of carotenoid pigment expression in dove plumage. Condor **105**: 258-267.

- Massaro, M., Davis, L.S., and Darby, J.T. 2003. Carotenoid-derived ornaments reflect parental quality in male and female yellow-eyed penguins (*Megadyptes antipodes*). Behavioral Ecology and Sociobiology **55**: 169-175.
- McGraw, K.J., and Ardia, D.R. 2003. Carotenoids, immunocompetence, and the information content of sexual colors: an experimental test. American Naturalist **162**(6): 704-712.
- Moreno, J., and Osomo, J.L. 2003. Avian egg colour and sexual selection: does egg pigmentation reflect female condition and genetic quality. Ecology Letters **6**: 803-806.
- (60)** Navarra, K.J., and Hill, R.W. 2003. Dietary carotenoid pigments and immune function in a songbird with extensive carotenoid-based plumage coloration. Behavioral Ecology **14**: 909-919.
- Ohlsson, T., Smith, H.G., Råberg, L., and Hasselquist, D. 2003. Effects of nutrition on sexual ornaments and humoral immune responsiveness in adult male pheasants. Ethology Ecology & Evolution **15**: 31-42
- Pryke, S.R., and Andersson, S. 2003a. Carotenoid-based status signalling in red-shouldered widowbirds (*Euplectes axillaris*): epaulet size and redness affect captive and territorial competition. Behavioral Ecology and Sociobiology **53**: 393-401.
- Pryke, S.R., and Andersson, S. 2003b. Carotenoid-based epaulettes reveal male competitive ability: experiments with resident and floater red-shouldered widowbirds. Animal Behaviour **66**: 217-224.
- Saino, N., Ambrosini, R., Martinelli, R., Ninni, P., and Møller, A.P. 2003. Gape coloration reliably reflects immunocompetence of barn swallow (*Hirundo rustica*) nestlings. Behavioral Ecology **14**(1): 16-22.
- Saks, L., McGraw, K., and Hõrak, P. 2003a. How feather colour reflects its carotenoid content. Functional Ecology **17**(4): 555-561.
- Saks, L., Ots, I., and Hõrak, P. 2003b. Carotenoid-based plumage coloration of male greenfinches reflects immunocompetence. Oecologia **134**: 301-307.
- Torres, R., and Velando, A. 2003. A dynamic trait affects continuous pair assessment in the blue-footed booby, *Sula nebouxii*. Behavioral Ecology and Sociobiology **55**: 65-72.
- Tschirren, B., Fitze, P.S., and Richner, H. 2003. Proximate mechanisms of variation in the carotenoid-based plumage coloration of nestling great tits (*Parus major* L.). Journal of Evolutionary Biology **16**: 91-100.
- Arlettaz, R., Christe, P., Surai, P.F., and Møller, A.P. 2002. Deliberate rusty staining of plumage in the bearded vulture: does function precede art? Animal Behaviour **64**: F1-F3.
- (50)** Bennett, P., and Owens, I. 2002. Evolutionary Ecology of Birds: Life Histories, Mating systems, and Extinction. Oxford University Press.
- Blount, J.D., Surai, P.F., Nager, R.G., Houston, D.C., Møller, A.P., Trewby, M.L., and Kennedy, M.W. 2002. Carotenoids and egg quality in the lesser blackbacked gull *Larus fuscus*: a supplemental feeding study of maternal effects. Proceedings of the Royal Society of London B **269**: 29-36.
- Bouslama, Z., Lambrechts, M.M., Ziane, N., Djenidi, R.D., and Chabi, Y. 2002. The effect of nest ectoparasites on parental provisioning in a north-African population of the Blue Tit *Parus caeruleus*. Ibis **144**: E73-E78.
- Hõrak, P., Surai, P.F. and Møller, A.P. 2002. Fat-soluble antioxidants in the eggs of great tits *Parus major* in relation to breeding habitat and laying sequence. Avian Sci., **2**: 123-130.
- Martín-Vivaldi, M., and Cabrero, J. 2002. Selección sexual. In Evolución: La base de la biología. Edited by M. Soler. Proyecto Sur. , España. pp. 235-259.
- Moore, J. 2002. Parasites and the Behavior of Animals. Oxford University Press.
- Wiebe, K.L., and Bortolotti, G.R. 2002. Variation in carotenoid-based color in Northern flickers in a hybrid zone. Wilson Bulletin **114**(3): 393-400.
- Zuk, M., and Stoehr, A.M. 2002. Immune defense and host life history. American Naturalist **160**: S9-S22.
- Candolin, U., and Voigt, H.R. 2001. No effect of a parasite on reproduction in stickleback males: a laboratory artefact ? Parasitology **122**: 457-464.
- Favre, M., Prévaut, M., Théry, M., Secondi, J., Patris, B., and Cézilly, F. 2001. Breeding strategy and morphological characters in an urban population of blackbirds, *Turdus merula*. Animal Behaviour **61**: 969-974.

- (40) Grether, G.F., Hudon, J., and Endler, J.A. 2001. Carotenoid scarcity, synthetic pteridine pigments and the evolution of sexual coloration in guppies (*Poecilia reticulata*). Proceedings of the Royal Society of London B **268**(1473): 1245-1253. doi:10.1098/rspb.2001.1624.
- Hill, G.E. 2001. A red bird in a brown bag: the function and evolution of colourful plumage in the house finch. Oxford University Press.
- Hörak, P., Ots, I., Vellau, H., Spottiswoode, C., and Møller, A.P. 2001. Carotenoid-based plumage coloration reflects hemoparasite infection and local survival in breeding great tits. Oecologia **123**: 166-173.
- Lozano, G.A. 2001. Carotenoids, immunity, and sexual selection: comparing apples and oranges? American Naturalist **158**(2): 200-203.
- Negro, J.J., Tella, J.L., Hiraldo, F., Bortolotti, G.R., and Prieto, P. 2001. Sex- and age-related variation in plasma carotenoids despite a constant diet in the red-legged partridge *Alectoris rufa*. Ardea **89**(2): 275-280.
- Pryke, S.R., Lawes, M.J., and Andersson, S. 2001. Agonistic carotenoid signalling in male red-collared widowbirds: aggression related to the colour signal of both the territory owner and model intruder. Animal Behaviour **62**: 695-704.
- Andersson, S. 2000. Efficacy and content in avian colour signals. In *Animal Signals: signalling and signal design in animal communication*. Edited by Y. Espmark, T. Amudsen, and G. Rosenqvist. Tapir Academic Press, Trondheim, Norway. pp. 47-60.
- Badyaev, A.V., and Hill, G.E. 2000. Evolution of sexual dichromatism: contribution of carotenoid- versus melanin-based coloration. Biological Journal of the Linnean Society **69**(2): 153-172.
- Bortolotti, G.R., Tella, J.L., Forero, M.G., Dawson, R.D., and Negro, J.J. 2000. Genetics, local environment and health as factors influencing plasma carotenoids in wild American kestrels (*Falco sparverius*). Proceedings of the Royal Society of London B **267**: 1433-1438.
- Brawner, W.R., III, Hill, G.E., and Sundermann, C.A. 2000. Effects of coccidial and mycoplasma infections on carotenoid-based plumage pigmentation in male house finches. Auk **117**: 952-963.
- (30) Candolin, U. 2000a. Male-male competition ensures honest signaling of male parental ability in the three-spined stickleback (*Gasterosteus aculeatus*). Behavioral Ecology and Sociobiology **49**: 57-61.
- Candolin, U. 2000b. Changes in expression and honesty of sexual signalling over the reproductive lifetime of sticklebacks. Proceedings of the Royal Society of London B **267**: 2425-2430.
- Grahn, M. 2000. MHC genotype and ornamentation. In *Animal Signals: signalling and signal design in animal communication*. Edited by Y Espmark, T Amundsen, and G. Rosenqvist. Tapir Academic Press, Trondheim, Norway.
- Grether, G.F. 2000. Carotenoid limitation and mate preference evolution: a test of the indicator hypothesis in guppies (*Poecilia reticulata*). Evolution **54**(5): 1712-1724.
- Hörak, P., Vellau, H., Ots, I., and Møller, A.P. 2000. Growth conditions affect carotenoid-based plumage coloration of great tit nestlings. Naturwissenschaften **87**(10): 460-464.
- Martín-Vivaldi, M., and Cabrero, J. 2000. Selección sexual. In *Evolución: La base de la biología*. Edited by M. Soler. Proyecto Sur. , España. pp. 235-259.
- Møller, A.P., Biard, C., Blount, J.D., Houston, D.C., Ninni, P., Saino, N., and Surai, P.F. 2000. Carotenoid-dependent signals: indicators of foraging efficiency, immunocompetence or detoxification ability? Avian and Poultry Biology Reviews **11**: 137-159.
- Negro, J.J., and Garrido-Fernández, J. 2000. Astaxanthin is the major carotenoid in tissues of white storks (*Ciconia ciconia*) feeding in introduced crayfish (*Procambarus clarkii*). Comparative Biochemistry and Physiology, Part B **126**: 347-352.
- Negro, J.J., Tella, J.L., Blanco, G., Forero, M.G., and Garrido-Fernández, J. 2000. Diet explains interpopulation variation of plasma carotenoids and skin pigmentation in nestling white storks. Physiological and Biochemical Zoology **73**(1): 97-101.
- Poiani, A., Goldsmith, A.R., and Evans, M.R. 2000. Ectoparasites of house sparrows (*Passer domesticus*): an experimental test of the immunocompetence handicap hypothesis and a new model. Behavioral Ecology and Sociobiology **47**: 230-242.

- Saino, N., Ninni, P., Incagli, M., Calza, S., Sacchi, R., and Møller, A.P. 2000. Begging and parental care in relation to offspring need and condition in the barn swallow (*Hirundo rustica*). American Naturalist **156**(6): 637-649.
- (20) Candolin, U. 1999a. The relationship between signal quality and physical condition: is sexual signalling honest in the three-spined stickleback? Animal Behaviour **58**: 1261-1267.
- Candolin, U. 1999b. Male-male competition facilitates female choice in sticklebacks. Proceedings of the Royal Society of London B **266**: 785-789.
- Gonzales, G., Sorci, G., Møller, A.P., Ninni, P., Haussy, C., and De Lope, F. 1999. Immunocompetence and condition-dependent sexual advertisement in male house sparrows (*Passer domesticus*). Journal of Animal Ecology **68**: 1225-1234.
- Grether, G.F., Hudon, J., and Millie, D.F. 1999. Carotenoid limitation of sexual coloration along an environmental gradient in guppies. Proceedings of the Royal Society of London B **266**: 1317-1322.
- Hill, G.E. 1999. Is there an immunological cost to carotenoid-based ornamental coloration? American Naturalist **154**: 589-595.
- Saino, N., Stradi, R., Ninni, P., Pini, E., and Møller, A.P. 1999. Carotenoid plasma concentration, immune profile, and plumage ornamentation of male barn swallows (*Hirundo rustica*). American Naturalist **154**(4): 441-448.
- von Schantz, T., Bensch, S., Grahn, M., Hasselquist, D., and Wittzell, H. 1999. Good genes, oxidative stress and condition-dependent sexual signals. Proceedings of the Royal Society of London B **266**: 1-12.
- Kodric-Brown, A. 1998. Sexual dichromatism and temporary color changes in the reproduction of fishes. American Zoologist **38**: 70-81.
- Lozano, G.A. 1998. Parasitic stress and self-medication in wild animals. *In* Stress and Behavior. Edited by A. P. Møller, M. Milinski, and P. J. B. Slater. Academic Press, San Diego, CA. pp. 291-317.
- Negro, J.J., Bortolotti, G.R., Tella, J.L., Fernie, K.J., and Bird, D.M. 1998. Regulation of integumentary colour and plasma carotenoids in American kestrels consistent with sexual selection theory. Functional Ecology **12**: 307-312.
- (10) Svensson, E., Råberg, L., Koch, C., and Hasselquist, D. 1998. Energetic stress, immunosuppression and the costs of an antibody response. Functional Ecology **12**: 912-919.
- Wedekind, C., Meyer, P., Frischknecht, M., Niggili, U.A., and Pfander, H. 1998. Different carotenoids and potential information content of red coloration of male tree-spined sticklebacks. Journal of Chemical Ecology **24**(5): 787-801.
- Forero, M.G., Tella, J.L., and Gajon, A. 1997. Absence of blood parasites in the Red-Necked Nightjar. Journal of Field Ornithology **68**: 575-579.
- Götmark, F., and Ahlström, M. 1997. Parental preference for red mouth of chicks in a songbird. Proceedings of the Royal Society of London B **264**: 959-962.
- Houde, A.E. 1997. Sex, color, and mate choice in guppies. Princeton University Press, Princeton.
- Bortolotti, G.R., Negro, J.J., Tella, J.L., Marchant, T.A., and Bird, D.M. 1996. Sexual dichromatism in birds independent of diet, parasites and androgens. Proceedings of the Royal Society of London B **263**: 1171-1176.
- Shykoff, J.A., and Widmer, A. 1996. Parasites and carotenoid-based signal intensity: how general should the relationship be? Naturwissenschaften **83**: 113-121.
- Skarstein, F., and Folstad, I. 1996. Sexual dichromatism and the immunocompetence handicap: an observational approach using Arctic charr. Oikos **76**: 359-367.
- Tella, J.L., Forero, M.G., Gajon, A., Hiraldo, F., and Donazar, J.A. 1996. Absence of blood-parasitization effects on Lesser Kestrel fitness. Auk **113**: 253-256.

Perrin, N. 1995. Signalling, mating success and paternal investment in sticklebacks (*Gasterosteus aculeatus*): a theoretical model. Behaviour **132**: 1037-1057.